

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

C5

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>A61K 39/395</b>	<b>A1</b>	(11) International Publication Number: <b>WO 99/55369</b> (43) International Publication Date: 4 November 1999 (04.11.99)
<p>(21) International Application Number: PCT/US99/09131</p> <p>(22) International Filing Date: 28 April 1999 (28.04.99)</p> <p>(30) Priority Data: 60/083,367 28 April 1998 (28.04.98) US</p> <p>(71) Applicant (for all designated States except US): SMITHKLINE BEECHAM CORPORATION [US/US]; One Franklin Plaza, Philadelphia, PA 19103 (US).</p> <p>(72) Inventor; and (75) Inventor/Applicant (for US only): TAYLOR, Alexander, H. [US/US]; 522 Westfield Drive, Exton, PA 19341 (US).</p> <p>(74) Agents: BAUMEISTER, Kirk et al.; SmithKline Beecham Corporation, Corporate Intellectual Property, UW2220, 709 Swedeland Road, P.O. Box 1539, King of Prussia, PA 19406-0939 (US).</p>	<p>(81) Designated States: CA, JP, US, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).</p> <p><b>Published</b> <i>With international search report.</i></p>	
<p>(54) Title: MONOCLONAL ANTIBODIES WITH REDUCED IMMUNOGENICITY</p> <p>(57) Abstract</p> <p>Antibodies having reduced immunogenicity and methods for making them are disclosed.</p>		

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

MONOCLONAL ANTIBODIES WITH REDUCED IMMUNOGENICITY

This application claims the benefit of U.S. Provisional Application No. 60/083,367, filed April 28, 1998.

Field of the Invention

This invention relates to monoclonal antibodies (mAbs) having reduced immunogenicity in humans.

Background of the Invention

Many potentially therapeutic mAbs are first generated in a murine hybridoma system for reasons of speed and simplicity. Non-human mAbs contain substantial stretches of amino acid sequences that will be immunogenic when injected into a human patient. It is well known that after injection of a foreign antibody, such as a murine antibody, a patient can have a strong human anti-mouse antibody (HAMA) response that essentially eliminates the antibody's therapeutic utility after the initial treatment as well as the utility of any other subsequently administered murine antibody.

Humanization techniques are well known for producing mAbs which exhibit reduced immunogenicity in humans while retaining the binding affinity of the original non-human parental mAb. See, e.g., those disclosed in U.S. Patent Nos. 5,585,089; 5,693,761; 5,693,762; and 5,225,539.

In general, these methods depend on replacing human variable heavy and light region complementarity determining regions (CDRs) with antigen specific non-human CDRs, a process known as CDR grafting. It is also well known that in CDR grafting experiments the retention of the original antigen binding affinity is enhanced and in many cases depends on choosing human acceptor framework regions that most closely match the corresponding frameworks of the CDR donor antibody.

However, since the human genome contains a limited repertoire of heavy and light chain framework regions, these methods suffer from the limitation of available human acceptor frameworks. This restriction in acceptor framework repertoire necessarily can limit the degree of match between the non-human donor and the human acceptor antibody. Thus,

CDR grafting methods are limited by the known available repertoire of human VH and VL framework regions. Clearly, a need exists for an expanded range of acceptor V regions.

5                                    Summary of the Invention

One aspect of the present invention is an antibody comprising donor CDRs derived from an antigen-specific donor antibody of a non-human species and acceptor framework residues derived from a non-human primate.

10          Another aspect of the invention is a method for making an antibody having reduced immunogenicity in humans comprising grafting CDRs from antigen-specific non-human antibodies onto homologous non-human primate acceptor frameworks.

15          Another aspect of the invention is a chimpanzee VH acceptor framework I, II and III comprising an amino acid sequence as set forth in SEQ ID NOs: 10, 11, 12, 13, 14, 15, 16, 17 or 18.

20          Another aspect of the invention is a chimpanzee VH acceptor framework IV comprising an amino acid sequence as set forth in SEQ ID NOs: 81, 82, 83, 84 or 85.

                Another aspect of the invention is a chimpanzee Vk acceptor framework I, II and III comprising an amino acid sequence as set forth in SEQ ID NOs: 28, 29, 30, 31, 32, 33, 25 34, 35 or 36.

                Another aspect of the invention is a chimpanzee Vk acceptor framework IV comprising an amino acid sequence as set forth in SEQ ID NOs: 86 or 87.

30          Another aspect of the invention is a cynomolgus VH acceptor framework I, II and III comprising an amino acid sequence as set forth in SEQ ID NOs: 45, 46, 47, 48, 49, 50, 51 or 52.

                Another aspect of the invention is a cynomolgus VH acceptor framework IV comprising an amino acid sequence as 35 set forth in SEQ ID NOs: 88, 89, 90, 91, 92 or 93.

                Another aspect of the invention is a cynomolgus Vk acceptor framework I, II and III comprising an amino acid sequence as set forth in SEQ ID NOs: 59, 60, 61, 62, 63 or 64.

Another aspect of the invention is a cynomolgus Vk acceptor framework IV comprising an amino acid sequence as set forth in SEQ ID NOs: 94, 95 or 96.

Yet another aspect of the invention is an isolated  
5 nucleic acid molecule encoding the amino acid sequence of SEQ ID NOs: 10, 11, 12, 13, 14, 15, 16, 17, 18, 28, 29, 30, 31, 32, 33, 34, 35 or 36.

Yet another aspect of the invention is an isolated nucleic acid molecule encoding the amino acid sequence of SEQ  
10 ID NOs: 81, 82, 83, 84, 85, 86 or 87.

Yet another aspect of the invention is an isolated nucleic acid molecule encoding the amino acid sequence of SEQ ID NOs: 45, 46, 47, 48, 49, 50, 51, 52, 59, 60, 61, 62, 63 or  
64.

15 Yet another aspect of the invention is an isolated nucleic acid molecule encoding the amino acid sequence of SEQ ID NOs: 88, 89, 90, 91, 92, 93, 94, 95 or 96.

#### Brief Description of the Drawings

20 Figure 1 is an amino acid sequence of the engineered 4A6 VL region. Asterisks above the 4A6 sequence indicate the 4A6 framework residues retained in the engineered molecule. Bold and italicized letters indicate the CDRs.

Figure 2 is an amino acid sequence of the engineered 4A6  
25 VH region. Asterisks above the 4A6 sequence indicate the 4A6 framework residues retained in the engineered molecule. Bold and italicized letters indicate the CDRs.

Figure 3 is an amino acid sequence alignment comparing the murine antibody B9VK with the closest matching chimpanzee  
30 VK and selected JK sequences. The CDR regions are indicated by bold and italicized letters. Gaps are indicated by dots. The numbering convention is from Kabat et al., *infra*.

Figure 4 is an amino acid sequence alignment comparing the murine antibody B9VH with the closest matching chimpanzee  
35 VH and selected JH sequences. The CDR regions are indicated by bold and italicized letters. Gaps are indicated by dots. Asterisks indicate framework residues that are predicted to interact with CDRs and affect antigen binding affinity. The numbering convention is from Kabat et al., *infra*.

Figure 5 is an amino acid sequence alignment comparing the murine antibody 3G9Vx with the closest matching chimpanzee Vk and selected Jk sequences. The CDR regions are indicated by bold and italicized letters. Gaps are indicated by dots. Asterisks indicate framework residues that are predicted to interact with CDRs and affect antigen binding affinity. The numbering convention is from Kabat et al., *infra*.

Figure 6 is an amino acid sequence alignment comparing the murine antibody 3G9VH with the closest matching chimpanzee VH and selected JH sequences. The CDR regions are indicated by bold and italicized letters. Gaps are indicated by dots. Asterisks indicate framework residues that are predicted to interact with CDRs and affect antigen binding affinity. The numbering convention is from Kabat et al., *infra*.

#### Detailed Description of the Invention

All publications, including but not limited to patents and patent applications, cited in this specification are herein incorporated by reference as though fully set forth.

The molecular genetic aspects of antibody structure have been reviewed by S. Tonegawa in *Nature* 302:575-581 (1983). Briefly, antibodies are heterodimers comprised of at least two heavy and two light chains. The N-terminal domain of each heavy and light chain, termed VH and VL, respectively, fold together to form the antigen combining site. On the genetic level, the VL domain is encoded by two different gene segments, termed Vk or Vl, and Jk or Jl that join together to form one continuous VL region. Similarly, the VH domain is encoded by three gene segments, VH, DH, and JH, that join together to form one continuous VH region. Thus different VL and VH regions may be encoded by different combinations of Vk or Vl, Jk or Jl and VH, DH, and JH. This combinatorial diversity is in part the means by which the immune response generates the myriad diversity of different antibody molecules and their associated antigen specificities.

On the protein level, each heavy and light V region domain may be further divided into three CDRs. Three heavy

and three light chain CDRs fold together to form the antigen binding surface and part of the underlying support structures that are required to maintain the exact three-dimensional structure of the antigen combining site. Flanking each CDR are framework regions that in most cases do not directly interact with the specific antigen, but rather serve to form the scaffold which supports the antigen binding properties of the CDRs. Each heavy and light chain has four framework regions, three derived from the VH or VL gene segment, the fourth is derived from the JH, JK, or JI gene segment. Thus, the order of frameworks and CDRs from the N- terminus is framework I, CDRI, framework II, CDRII, framework III, CDRIII, framework IV. On the genetic level, all of framework I through Framework III is encoded by the V region gene segment; CDRIII is encoded jointly by both the V region and J region gene segments; framework IV is encoded entirely from the J gene segment.

As used herein, "antibodies" refers to immunoglobulins and immunoglobulin fragments lacking all or part of an immunoglobulin constant region, e.g., Fv, Fab, Fab' or F(ab')<sub>2</sub> and the like.

The term "donor antibody" refers to a monoclonal or recombinant antibody which contributes the nucleic acid sequences of its variable regions, CDRs or other functional fragments or analogs thereof to an engineered antibody, so as to provide the engineered antibody coding region and resulting expressed engineered antibody with the antigenic specificity and neutralizing activity characteristic of the donor antibody.

The term "acceptor antibody" refers to monoclonal or recombinant antibodies heterologous to the donor antibody, which contributes all, or a portion, of the nucleic acid sequences encoding its heavy and/or light chain framework regions and/or its heavy and/or light chain constant regions or V region subfamily consensus sequences to the engineered antibody.

A "functional fragment" is a partial heavy or light chain variable sequence (e.g., minor deletions at the amino or carboxy terminus of the immunoglobulin variable region)

which retains the same antigen binding specificity and affinity as the antibody from which the fragment was derived.

An "analog" is an amino acid sequence modified by at least one amino acid, wherein said modification can be chemical or a substitution, which modification permits the amino acid sequence to retain the biological characteristics, e.g., antigen specificity and high affinity, of the unmodified sequence.

Methods are provided for making engineered antibodies with reduced immunogenicity in humans and primates from non-human antibodies. CDRs from antigen-specific non-human antibodies, typically of rodent origin, are grafted onto homologous non-human primate acceptor frameworks. Preferably, the non-human primate acceptor frameworks are from Old World apes. Most preferably, the Old World ape acceptor framework is from *Pan troglodytes*, *Pan paniscus* or *Gorilla gorilla*. Particularly preferred is the chimpanzee *Pan troglodytes*. Also preferred are Old World monkey acceptor frameworks. Most preferably, the Old World monkey acceptor frameworks are from the genus *Macaca*. Particularly preferred is the cynomolgus monkey *Macaca cynomolgus*.

Particularly preferred chimpanzee (*Pan troglodytes*) heavy chain variable region frameworks (VH) are CPVH41-12 having the framework I, II and III amino acid sequence shown in SEQ ID NO: 10 and the framework IV amino acid sequence shown in SEQ ID NO: 83; CPVH41-1 having the framework I, II and III amino acid sequence shown in SEQ ID NO: 11 and the framework IV amino acid sequence shown in SEQ ID NO: 85; CPVH41-4 having the framework I, II and III amino acid sequence shown in SEQ ID NO: 12; CPVH41-7 having the framework I, II and III amino acid sequence shown in SEQ ID NO: 13; CPVH41-8 having the framework I, II and III amino acid sequence shown in SEQ ID NO: 14; CPVH41-9 having the framework I, II and III amino acid sequence shown in SEQ ID NO: 15 and the framework IV amino acid sequence shown in SEQ ID NO: 81; CPVH41-10 having the framework I, II and III amino acid sequence shown in SEQ ID NO: 16 and the framework IV amino acid sequence shown in SEQ ID NO: 82; CPVH41-18 having the framework I, II and III amino acid sequence shown in SEQ ID NO: 17; and CPVH41-19 having the framework I, II and III



amino acid sequence shown in SEQ ID NO: 18 and the framework IV amino acid sequence shown in SEQ ID NO: 84.

Particularly preferred chimpanzee (*Pan troglodytes*)

- light chain kappa variable region frameworks (VK) are CPVK46-1  
5 having the framework I, II and III amino acid sequence shown  
in SEQ ID NO: 28; CPVK46-3 having the framework I, II and III  
amino acid sequence shown in SEQ ID NO: 29; CPVK46-4 having  
the framework I, II and III amino acid sequence shown in SEQ  
ID NO: 30; CPVK46-5 having the framework I, II and III amino  
10 acid sequence shown in SEQ ID NO: 31; CPVK46-6 having the  
framework I, II and III amino acid sequence shown in SEQ ID  
NO: 32 and the framework IV amino acid sequence shown in SEQ  
ID NO: 86; CPVK46-7 having the framework I, II and III amino  
acid sequence shown in SEQ ID NO: 33 and the framework IV  
15 amino acid sequence shown in SEQ ID NO: 87; CPVK46-8 having  
the framework I, II and III amino acid sequence shown in SEQ  
ID NO: 34; CPVK46-11 having the framework I, II and III amino  
acid sequence shown in SEQ ID NO: 35; and CPVK46-14 having  
the framework I, II and III amino acid sequence shown in SEQ  
20 ID NO: 36.

Particularly preferred cynomolgus (*Macaca cynomolgus*)

- heavy chain variable region frameworks (VH) are CYVH2-1  
having the framework I, II and III amino acid sequence shown  
in SEQ ID NO: 45 and the framework IV amino acid sequence  
25 shown in SEQ ID NO: 88; CYVH2-3 having the framework I, II  
and III amino acid sequence shown in SEQ ID NO: 46 and the  
framework IV amino acid sequence shown in SEQ ID NO: 89;  
CYVH2-4 having the framework I, II and III amino acid  
sequence shown in SEQ ID NO: 47 and the framework IV amino  
30 acid sequence shown in SEQ ID NO: 90; CYVH2-5 having the  
framework I, II and III amino acid sequence shown in SEQ ID  
NO: 48 and the framework IV amino acid sequence shown in SEQ  
ID NO: 93; CYVH2-6 having the framework I, II and III amino  
acid sequence shown in SEQ ID NO: 49 and the framework IV  
35 amino acid sequence shown in SEQ ID NO: 91; CYVH2-7 having  
the framework I, II and III amino acid sequence shown in SEQ  
ID NO: 50; CYVH2-8 having the framework I, II and III amino  
acid sequence shown in SEQ ID NO: 51; and CYVH2-10 having the

framework I, II and III amino acid sequence shown in SEQ ID NO: 52 and the framework IV amino acid sequence shown in SEQ ID NO: 92.

Particularly preferred cynomolgus (*Macaca cynomolgus*)  
5 light chain kappa variable region frameworks (VK) are CYVK4-2 having the framework I, II and III amino acid sequence shown in SEQ ID NO: 59; CYVK4-3 having the framework I, II and III amino acid sequence shown in SEQ ID NO: 60 and the framework IV amino acid sequence shown in SEQ ID NO: 94; CYVK4-5 having  
10 the framework I, II and III amino acid sequence shown in SEQ ID NO: 61; CYVK4-6 having the framework I, II and III amino acid sequence shown in SEQ ID NO: 62 and the framework IV amino acid sequence shown in SEQ ID NO: 95; CYVK4-10 having the framework I, II and III amino acid sequence shown in SEQ  
15 ID NO: 63; and CYVK4-11 having the framework I, II and III amino acid sequence shown in SEQ ID NO: 64 and the framework IV amino acid sequence shown in SEQ ID NO: 96.

Isolated nucleic acid molecules encoding the chimpanzee VH and Vk acceptor framework I, II and III amino acid  
20 sequences of SEQ ID NOS: 10, 11, 12, 13, 14, 15, 16, 17, 18, 28, 29, 30, 31, 32, 33, 34, 35 or 36 and the framework IV amino acid sequences of SEQ ID NOS: 81, 82, 83, 84, 85, 86 or 87 are also part of the present invention. Further, isolated nucleic acid molecules encoding the cynomolgus VH and Vk  
25 acceptor framework I, II and III amino acid sequences of SEQ ID NOS: 45, 46, 47, 48, 49, 50, 51, 52, 59, 60, 61, 62, 63 or 64 and the framework IV amino acid sequences of SEQ ID NOS: 88, 89, 90, 91, 92, 93, 94, 95 or 96 are also part of the present invention. Nucleic acid sequences encoding  
30 functional fragments or analogs of the VH and VK acceptor framework amino acid sequences are also part of the present invention.

In addition to isolated nucleic acid sequences encoding VH and Vk acceptor frameworks described herein, nucleic acid  
35 sequences complementary to these framework regions are also encompassed by the present invention. Useful DNA sequences include those sequences which hybridize under stringent hybridization conditions to the DNA sequences. See, T.

Maniatis et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory (1982), pp. 387-389. An example of one such stringent hybridization condition is hybridization at 4XSSC at 65°C, followed by a washing in  
5 0.1XSSC at 65°C for one hour. Alternatively, an exemplary stringent hybridization condition is 50% formamide, 4XSSC at 42°C. Preferably, these hybridizing DNA sequences are at least about 18 nucleotides in length.

Suitable frameworks are selected by computer homology  
10 searching among members of a database of Old-World ape or monkey VH and VL regions. The framework portions of primate antibodies are useful as components of therapeutic antibodies. Moreover, primate antibody frameworks will be tolerated when used in the treatment of humans due to the  
15 close sequence homology between the genes of the primates and humans. Thus, the present invention provides for the grafting of CDRs from an antigen specific non-human donor antibody to acceptor V regions derived from non-human primate species.

20 The antigen specificity and binding kinetics of the donor antibody, which may be of rodent or any other non-human origin, are best preserved by selecting primate acceptor V regions that are determined by computer homology searching to be most similar to the donor antibody. Alternatively, the  
25 acceptor antibody may be a consensus sequence generated from primate V region subfamilies, or portions thereof, displaying the highest homology to the donor antibody.

The resulting engineered constructs, in which the donor CDRs are grafted onto primate acceptor frameworks, are  
30 subsequently refined by analysis of three-dimensional models based on known antibody crystal structures as found, e.g., in the Protein Data Bank, <http://www.pdb.bnl.gov/pdb-bin/pdbmain>. Alternatively, computer generated three-dimensional models of the donor antibody may be computed by  
35 means of commercially available software such as "AbM" (Oxford Molecular, Oxford, UK).

Structural analysis of these models may reveal donor framework residues that are CDR-contacting residues and that are seen to be important in the presentation of CDR loops,

and therefore binding avidity. A CDR-contacting residue is one which is seen in three-dimensional models to come within the van der Waals radius of a CDR residue, or could interact with a CDR residue via a salt bridge or by hydrophobic interaction. Such donor framework (CDR-contacting) residues may be retained in the engineered construct.

The modeling experiments can also reveal which framework residues are largely exposed to the solvent environment. The engineered constructs may be further improved by substituting some or all of these solvent-accessible amino acid residues with those found at the same position among human V regions most homologous to the engineered construct as disclosed in U.S. Patent No. 5,639,641.

The engineered V regions are then joined to one or more different human or Old World ape constant regions depending on the desired secondary immune functions such as complement fixation or Fc receptor binding. Human constant regions can be selected from human immunoglobulin classes and isotypes, such as IgG (subtypes 1 through 4), IgM, IgA, and IgE. An IgG4 subtype variant containing the mutations S228P and L235E (PE mutation) in the heavy chain constant region which results in reduced effector function can also be selected. See U.S. Patent Nos. 5,624,821 and 5,648,260.

The complete heavy and light chain genes are transferred to suitable expression vectors and co-expressed in the appropriate host cells such as chinese hamster ovary, COS or myeloma cells. The resulting engineered antibody is expected to be of substantially reduced immunogenicity when administered to humans, and to retain full binding affinity for antigen.

Acceptor V regions can be isolated specifically for each donor V region by directed PCR methodology where a non-human primate cDNA library is surveyed for acceptor frameworks most similar to the donor antibody. Oligonucleotide PCR primers homologous to the donor antibody framework I (paired with C-region 3' PCR primers) are used to direct PCR amplification of a non-human primate, e.g., chimpanzee lymphocyte cDNA library. This would select for V-regions with framework I regions similar to the donor antibody, and sequence analysis of the obtained clones would reveal the associated framework

II and III (and IV) sequences. 3' PCR primers would then be designed based on the knowledge of the non-human primate framework III sequences thus obtained, and used to direct PCR amplification of the original cDNA library together with a vector-specific 5' PCR primer. cDNA clones obtained from the second round of PCR amplification would have framework I and III sequences most similar to the donor antibody, and the framework II sequences would display a similar degree of sequence homology.

The present invention will now be described with reference to the following specific, non-limiting examples.

#### Example 1

##### Random cDNA Cloning and Sequence Analysis of Chimpanzee VH Regions

Five ml of peripheral blood was collected and pooled from three chimpanzees (*Pan troglodytes*) and peripheral blood mononuclear cells were isolated by standard density centrifugation methods. These cells, which include antibody producing lymphocytes, were dissolved in TRIzol reagent (GIBCO, Gaithersburg, MD, USA) and total RNA was recovered from this material by solvent extraction and precipitation according to the manufacturer's specifications.

Chimpanzee heavy chain V regions were cloned from the total RNA using Marathon RACE methodology (Clontech, Palo Alto, CA, USA) following exactly the manufacturer's protocol using 3' Cg1 gene specific primers. After RACE PCR amplification, DNA bands of the expected size were excised from agarose gels, the DNA was purified and cloned into a plasmid vector. Although this cDNA library contains many distinct heavy chain V region clones, nine were selected randomly for sequence analysis. Complete nucleic acid sequences and predicted protein sequences of the chimpanzee VH cDNA clones 41-12, 41-1, 41-4, 41-7, 41-8, 41-9, 41-10, 41-18 and 41-19 are shown in SEQ ID NOs: 1, 2, 3, 4, 5, 6, 7, 8 and 9, respectively. The amino acid sequences of the region from the first amino acid of the mature VH region to the second conserved cysteine residue at position 92, adjacent to CDR III of these clones, namely, CPVH41-12,

CPVH41-1, CPVH41-4, CPVH41-7, CPVH41-8, CPVH41-9, CPVH41-10, CPVH41-18 and CPVH41-19 are shown in SEQ ID NOS: 10, 11, 12, 13, 14, 15, 16, 17 and 18, respectively. The amino acid sequence of the region encoding framework IV of these clones for CPVH41-9, CPVH41-10, CPVH41-12, CPVH41-19 and CPVH 41-1 are shown in SEQ ID NOS: 81, 82, 83, 84 and 85, respectively.

The chimpanzee VH amino acid sequences from the mature N-terminus and the second conserved cysteine residue at position 92, adjacent to CDRIII, were used as query sequences in computer homology searching of the Kabat database of Sequences of Proteins of Immunological Interest (ftp://ncbi.nlm.nih.gov/repository/kabat/) The results of this analysis are shown in Table 1.

In each case, the closest match was with a human VH region, displaying between 76% (41-1/HHC20G) and 94% (41-10/HHC20Y) sequence identity at the amino acid level. Matches were found for each of the three major human VH subgroups, indicating that the chimpanzee VH repertoire includes at least some members homologous to each of the major human subgroups. The human subgroup homology is presented in Table 1.

25	Table 1		
	Clone	Closest Match	Overall Amino Acid Homology
	41-4	HHC10X	88%
	41-9	HHC10Y	92
	41-18	HHC10D	84
30	41-1	HHC20G	76
	41-10	HHC20Y	94
	41-12	HHC20C	83
	41-7	HHC30T	80
	41-8	HHC30T	79
35	41-19	HHC30S	82
			VH Subgroup Match
			I
			I
			I
			II
			II
			II
			III
			III
			III

The results show that the overall sequence identity between the chimpanzee and human VH regions ranged between 76 and 95% with a mean identity of 84%. Based on this observation, further sampling of the chimpanzee random VH library will likely provide a substantially greater diversity of VH sequences from which to choose optimum acceptor frameworks for each particular donor VH region.

Exempl 2Random cDNA Cloning and Sequence Analysis of Chimpanzee V $\kappa$  Regions

Chimpanzee light chain V $\kappa$  regions were cloned from the  
5 total RNA using Marathon RACE methodology (Clontech, Palo  
Alto, CA, USA) following exactly the manufacturer's protocol  
and C $\kappa$  3' gene specific primers. After RACE PCR  
amplification, DNA bands of the expected size were excised  
from agarose gels, the DNA was purified and cloned into a  
10 plasmid vector. Although this cDNA library contains many  
distinct light chain V $\kappa$  region clones, nine were selected  
randomly for sequence analysis. Complete nucleic acid  
sequences and predicted protein sequences of the chimpanzee  
V $\kappa$  cDNA clones 46-1, 46-3, 46-4, 46-5, 46-6, 46-7, 46-8, 46-  
11 and 46-14 are shown in SEQ ID NOs: 19, 20, 21, 22, 23, 24,  
15 25, 26 and 27, respectively. The amino acid sequences of the  
region from the first amino acid of the mature V $\kappa$  region to  
the second conserved cysteine residue at position 88,  
adjacent to CDR III of these clones, namely CPV $\kappa$ 46-1, CPV $\kappa$ 46-  
20 3, CPV $\kappa$ 46-4, CPV $\kappa$ 46-5, CPV $\kappa$ 46-6, CPV $\kappa$ 46-7, CPV $\kappa$ 46-8, CPV $\kappa$ 46-11  
and CPV $\kappa$ 46-14 are shown in SEQ ID NOs: 28, 29, 30, 31, 32,  
33, 34, 35 and 36, respectively. The amino acid sequences of  
the region encoding framework IV of these clones for CPV $\kappa$ 46-6  
and CPV $\kappa$ 46-7 are shown in SEQ ID NOs: 86 and 87,  
25 respectively.

The chimpanzee V $\kappa$  amino acid sequences comprising the  
mature N-terminus and the second conserved cysteine residue  
at position 88 were used as query sequences in computer  
homology searching of the Kabat database. The results of  
30 this analysis are shown in Table 2. In each case the closest  
match was with a human V $\kappa$  region, displaying between 68%  
(46-4/HKL310) and 97% (46-11/HKL106) sequence identity at the  
amino acid level. It is evident that the chimpanzee V $\kappa$   
sequences are distinct from the collection of human V $\kappa$  found  
35 in the Kabat database.

The human subgroup homology is presented in Table 2. Of the four major human Vk subgroups, matches were found for the two most frequently isolated, indicating that the chimpanzee Vk repertoire is at least homologous to members of the majority of the human Vk repertoire. Further sampling of the chimpanzee Vk cDNA library will likely identify a greater diversity of chimpanzee Vk regions, including ones homologous to the remaining two human Vk subgroups (VKII and VKIV).

Table 2			
Clone	Closest Match	Overall Amino Acid Homology	VH Subgroup Match
46-1	HKL10C	85%	I
46-3	HKL 100	91	I
46-5	HKL 100	91	I
46-7	HKL 100	81	I
46-8	HKL 10N	90	I
46-11	HKL 106	97	I
46-14	HKL 100	92	I
46-4	HKL 310	68	III
46-6	HKL 310	96	III

### Example 3

#### Random cDNA Cloning and Sequence Analysis of Cynomolgus VH Regions

Splenic RNA was recovered from a single donor cynomolgus monkey (*Macaca cynomolgus*) by means of standard laboratory practice. Cynomolgus heavy chain V regions were cloned from the total RNA using Marathon RACE methodology (Clontech, Palo Alto, CA, USA) following exactly the manufacturer's protocol using 3' Cg1 gene specific primers. After RACE PCR amplification, DNA bands of the expected size were excised from agarose gels, the DNA was purified and cloned into a plasmid vector. Although this cDNA library contains many distinct heavy V region clones, eight were selected randomly for sequence analysis. Complete nucleic acid sequences and predicted protein sequences of the Cynomolgus VH cDNA clones 2-1, 2-3, 2-4, 2-5, 2-6, 2-7, 2-8 and 2-10 are shown in SEQ ID NOS: 37, 38, 39, 40, 41, 42, 43 and 44, respectively. The amino acid sequences of the region from the first amino acid of the mature VH region to the second conserved cysteine residue at position 92, adjacent to CDR III of these clones, namely CyVH2-1, CyVH2-3, CyVH2-4, CyVH2-5, CyVH2-6, CyVH2-7, CyVH2-8 and CyVH2-10 are shown in SEQ ID NOS: 45, 46, 47, 48,



49, 50, 51 and 52, respectively. The amino acid sequences of the region encoding framework IV of these clones for CyVH2-1, CyVH2-3, CyVH2-4, CyVH2-6, CyVH2-10 and CyVH2-5 are shown in SEQ ID NOs: 88, 89, 90, 91, 92 and 93, respectively.

- 5 The cynomolgus VH amino acid sequences from the mature N-terminus and the second conserved cysteine residue at position 92, adjacent to CDRIII, were used as query sequences in computer homology searching of the Kabat database. The results of this analysis are shown in Table 3. In each case  
10 the closest match was with a human VH region, displaying between 62% (2-6/ HHC20E) and 84% (2-5/ HHC20F) sequence identity at the amino acid level. It is evident that the cynomolgus VH sequences are distinct from the collection of human VH found in the Kabat database. Matches were found for  
15 each of the three major human VH subgroups, indicating that the cynomolgus VH repertoire includes at least some members homologous to each of the major human subgroups. The human subgroup homology is presented in Table 3.

20 **Table 3**

Clone	Closest Match	Overall Amino Acid Homology	VH Subgroup Match
2-4	HHC10Y	83%	I
2-10	HHC20G	83	II
25 2-8	HHC20F	74	II
2-6	HHC20E	62	II
2-5	HHC20F	84	II
2-3	HHC20F	75	II
2-1	HHC316	71	III
30 2-7	HHC31C	81	III

- The results show that the overall sequence identity between the cynomolgus and human VH regions ranged between 62 and 84% with a mean identity of 77%. Based on this  
35 observation, further sampling of the cynomolgus random VH library will likely provide a substantially greater diversity of VH sequences from which to choose optimum acceptor frameworks for each particular donor VH region.

40 **Example 4**  
**Random cDNA Cloning and Sequence Analysis of Cynomolgus V<sub>H</sub>**

**Regions**

Cynomolgus light chain V<sub>H</sub> regions were cloned from the total splenic RNA using Marathon RACE methodology (Clontech,

Palo Alto, CA, USA) following exactly the manufacturer's protocol and Ck 3' gene specific primers. After RACE PCR amplification, DNA bands of the expected size were excised from agarose gels, the DNA was purified and cloned into a plasmid vector. Although this cDNA library contains many distinct light chain Vk region clones, six were selected randomly for sequence analysis. Complete nucleic acid sequences and predicted protein sequences of the Cynomolgus Vk cDNA clones 4-2, 4-3, 4-5, 4-6, 4-10 and 4-11 are shown in SEQ ID NOs: 53, 54, 55, 56, 57 and 58, respectively. The amino acid sequences of the region from the first amino acid of the mature VK region to the second conserved cysteine residue at position 88, adjacent to CDRIII, of these clones, namely CyVk4-2, CyVk4-3, CyVk4-5, CyVk4-6, CyVk4-10 and CyVk4-11 are shown in SEQ ID NOs: 59, 60, 61, 62, 63 and 64, respectively. The amino acid sequences encoding the framework IV region of these clones for CyVk4-3, CyVk4-6 and CyVk4-11 are shown in SEQ ID NOs: 94, 95 and 96, respectively.

The cynomolgus VK amino acid sequences comprising the mature N-terminus and the second conserved cysteine residue at position 88 were used as query sequences in computer homology searching of the Kabat database. The results of this analysis are shown in Table 4. In each case the closest match was with a human VK region, displaying between 73% (4-11/ HKLI0S) and 94% (4-3/ HKL400) sequence identity at the amino acid level. It is evident that the cynomolgus VK sequences are distinct from the collection of human VK found in the public genetic databases. The human subgroup homology is presented in Table 4. Matches were found for three of the four major human VK subgroups, indicating that the cynomolgus VK repertoire is largely homologous to members of the majority of the human VK repertoire. Further sampling of the cynomolgus VK cDNA library will likely identify a greater diversity of cynomolgus VK regions, including ones homologous to the remaining human VK subgroup (VKIII).

**Table 4**  
Overall Amino

	Clone	Closest Match	Acid Homology	Vk Subgroup Match
5	4-6	HKL10L	80%	I
	4-2	HKL10Z	83	I
	4-11	HKL10S	73	I
	4-10	HKL10F	93	I
	4-5	HKL209	86	II
10	4-3	HKL400	94	IV

The results show that the overall sequence identity between the cynomolgus and human Vk regions ranged between 73 and 94% with a mean identity of 85%. Based on this

15 observation, further sampling of the cynomolgus random Vk library will provide a substantially greater diversity of Vk sequences from which to choose optimum acceptor frameworks for each particular donor Vk region.

#### Example 5

##### Preparation of Engineered Anti-IL-5 Monoclonal Antibodies

The Vk and VH genes of the rat anti-interleukin-5 (IL-5) antibody 4A6 are shown in SEQ ID NOs: 65 and 66, respectively. These genes encode a high affinity  
25 neutralizing monoclonal antibody specific for human IL-5 useful for the treatment of asthma. See U.S. Patent No. 5,693,323.

The 4A6 light chain was engineered as follows. The sequence of donor antibody Vk4A6 (SEQ ID NO: 65) was aligned  
30 with the acceptor antibody light chain Vk region from the chimpanzee Mab C108G (Mol. Immunol. 32:1081-1092 (1995)) (SEQ ID NO: 67) as shown in Fig. 1. Since native Vk4A6 has a unique deletion of residue 10, the sequence alignment included the insertion of a gap at that position. The CDR  
35 residues were identified as defined by the convention of Kabat et al. in *Sequences of Proteins of Immunological Interest*, 4th ed., U.S. Department of Health and Human Services, National Institutes of Health (1987).

40 Framework residues that could influence CDR presentation were identified by analysis of three-dimensional models based on known antibody crystal structures. The residues of this

CDR-contacting set were compared among the aligned Vk4A6 and Vkl08G sequences, and the positions of the set that differed between the Vk4A6 and the Vkl08G were marked (Fig. 1, asterisks). The CDRs and the marked framework residues of

5 Vk4A6 (the donor antibody) were transferred replacing the corresponding residues of Vkl08G (the acceptor antibody). The completed engineered 4A6 light chain V region is shown in SEQ ID NO: 68. Six donor framework residues were retained in the engineered molecule at residues 1 to 4, 49 and 60.

10 In analogous fashion, a similar method was used to engineer the 4A6 heavy chain. The sequence of donor antibody VH4A6 (SEQ ID NO: 66) was aligned with the acceptor antibody heavy chain V region from the chimpanzee Mab Cl08G (SEQ ID NO: 69) as shown in Fig. 2. A large gap was introduced in

15 the VH4A6 CDRIII alignment, as CDRIII of VHC108G is 10 residues longer. CDR residues were identified as defined by the convention of Kabat et al., *supra*.

Framework residues that could influence CDR presentation were identified by analysis of three-dimensional models based on known antibody crystal structures. The residues of this

20 CDR-contacting set were compared among the aligned VH4A6 and VHC108G sequences, and the positions of the set that differed between the VH4A6 and the VHC108G were marked (Fig. 2, asterisks). In total, 11 such CDR contacting residues that

25 differed between VH4A6 and the VHC108G were selected and marked. The CDRs and the marked CDR contacting framework residues of VH4A6 (the donor antibody) were transferred replacing the corresponding residues of VHC108G (the acceptor antibody). The completed engineered 4A6 heavy chain V region

30 is shown in SEQ ID NO: 70. Eleven donor framework residues were retained in the engineered molecule at residues 27, 30, 38, 49, 66, 67, 69, 71, 73, 78 and 94.

The engineered 4A6 can be expressed in cells using methods well known to those skilled in the art. Briefly,

35 genes encoding the complete engineered 4A6 VH and VK regions can be assembled from long synthetic oligonucleotides and ligated into appropriate eukaryotic expression vectors containing the desired antibody constant regions. Such an expression vector will contain selectable markers, for

example, neomycin resistance and regulatory sequences, for example, the CMV promoter, required to direct the expression of full-length antibody heavy and light chains. Subsequently, transfection of the appropriate host cell, for example, chinese hamster ovary, would result in the expression of fully active engineered 4A6.

#### Example 6

##### Preparation of Engineered Anti-Integrin Monoclonal Antibodies

10 The VK and VH genes of the murine anti-integrin antibody B9 are shown in SEQ ID NOs: 71 and 72, respectively. These genes encode a high affinity neutralizing monoclonal antibody specific for human integrin  $\alpha v \beta 3$  useful for the treatment of vascular diseases.

15 The B9 light chain was engineered as follows. The amino acid sequence of donor antibody VKB9 (SEQ ID NO: 72) was compared to each of the nine chimpanzee VK sequences described above and percent sequence identity determined by computer homology searching using the LASERGENE program  
20 "MEGALIGN" (DNASTAR, Inc., Madison, WI). Clones CPVK46-3 (SEQ ID NO: 29) and CPVK46-14 (SEQ ID NO: 36) were identified as the chimpanzee VK regions with the highest overall sequence similarity (77%) to the B9 donor VK. CPVK46-3 was selected as the acceptor framework.

25 Similarly, the chimpanzee JK gene segment of CPVK46-1 (SEQ ID NO: 97) was selected as acceptor framework IV. The sequences of the donor VKB9 and acceptor CPVK46-3, CPVK46-1 V regions were aligned and the positions of their respective framework and CDRs were determined as shown in Fig. 3.

30 The CDR residues were identified as defined by the convention of Kabat et al., supra. The results show that VKB9 and CPVK46-3 share 77% overall sequence identity, with the framework regions I through III sharing 81% sequence identity.

35 Framework residues that could influence CDR presentation were identified by analysis of three-dimensional models based on known antibody crystal structures. The residues of this

CDR-contacting set were compared among the aligned VkB9 and CPVvk46-3 sequences, and none of this set were found that differed between the VkB9 and the CPVvk46-3. Accordingly, only the CDRs of VkB9 (the donor antibody) were transferred replacing the corresponding residues of CPVvk46-3 (the acceptor antibody). Lastly, the framework IV sequences of CPVvk46-1 replaced the corresponding framework IV residues of the B9 light chain variable region. The completed engineered B9 light chain V region is shown in SEQ ID NO: 73. No donor framework residues were retained in the engineered light chain variable region.

The B9 heavy chain was engineered in analogous fashion. The amino acid sequence of donor antibody VHB9 (SEQ ID NO: 71) was compared to each of the nine chimpanzee VH sequences described above by computer homology searching. Clone CPVH41-18 (SEQ ID NO: 17) was identified as the chimpanzee VH region with the highest overall sequence similarity (58%) to the B9 donor VH.

The chimpanzee JH gene segment of CPVH41-10 (SEQ ID NO: 82) was selected as acceptor framework IV. The sequences of the donor VHB9 and chimpanzee acceptor V regions were aligned and the positions of their respective framework and CDRs determined as shown in Fig. 4.

The CDR residues were identified as defined by the convention of Kabat *et al.*, *supra*. The results show that VHB9 and CPVH41-18 share 58% overall sequence identity, with the framework regions I through III sharing 65% sequence identity.

Framework residues that could influence CDR presentation were identified by analysis of three-dimensional models based on known antibody crystal structures. The residues of this CDR-contacting set were compared among the aligned VHB9 and CPVH41-18 sequences, and the nine residues of the set that differed between VHB9 and the chimpanzee acceptor frameworks were marked. The CDRs and the marked framework residues of donor antibody VHB9 were transferred replacing the corresponding residues of CPVH41-18 (the acceptor antibody). Lastly, the framework IV sequences of CPVH41-10 replaced the corresponding framework IV residues of the B9 heavy chain variable region. The completed engineered B9 heavy chain V

region is shown in SEQ ID NO: 74. Nine donor framework residues were retained in the engineered heavy chain variable region at positions 24, 27, 38, 48, 66, 67, 69, 93 and 94.

5

#### Example 7

#### Expression and Characterization of Engineered Anti-Integrin Monoclonal Antibodies

The engineered B9 antibody was expressed in cells using methods well known to those skilled in the art. Briefly, genes encoding the complete engineered B9 VH and VK regions were assembled from long synthetic oligonucleotides and ligated into appropriate eukaryotic expression vectors containing IgG1 $\kappa$  antibody constant regions. The expression vector contained a selectable marker for neomycin resistance and CMV promoter regulatory sequences. Subsequent transfection of a COS host cell resulted in the expression of engineered B9 (CPB9).

The relative binding avidity of CPB9 was compared to that of the original murine B9 antibody as follows. CPB9 antibodies present in culture supernatants from cells maintained in culture for 5 days after transfection with the expression constructs were compared to the parental murine B9 antibody using the ORIGEN technology (IGEN Inc, Gaithersburg, MD). Briefly, different dilutions of the B9 variants were incubated with purified human  $\alpha\beta 3$  integrin which had previously been biotinylated, and an electrochemiluminescent TAG moiety specific for the antibody C regions. B9 variant antibody bound to the integrin was measured by capturing the immune complexes onto streptavidin beads followed by analysis on the ORIGEN instrument. The results showed that the CPB9 and the murine B9 binding curves were displaced only by about 3-fold indicating that the overall specific binding avidity of CPB9 and murine B9 for  $\alpha\beta 3$  are within three-fold of each other. Accordingly, the results show that the CDR grafting of rodent CDRs onto chimpanzee frameworks as described in the present invention retained nearly all of the binding avidity of the parent rodent mAb.

Example 8Preparation of Engineered Anti-Erythropoietin Receptor  
Monoclonal Antibodies

The VH and Vk genes of the murine anti-erythropoietin receptor antibody 3G9 are shown in SEQ ID NOs: 75 and 76, respectively. These genes encode a high affinity neutralizing monoclonal antibody specific for human erythropoietin receptor (EPOR) useful for the treatment of hematopoietic disorders.

The 3G9 light chain was engineered as follows. The amino acid sequence of donor antibody VK3G9 (SEQ ID NO: 76) was compared to each of the nine chimpanzee Vk sequences described above by computer homology searching as described above. Clones CPVK46-3 (SEQ ID NO: 29), CPVK46-5 (SEQ ID NO: 31), CPVK46-8 (SEQ ID NO: 34) and CPVK46-14 (SEQ ID NO: 36) were identified as the chimpanzee Vk regions with the highest overall sequence similarity (65%) to the 3G9 donor Vk. CPVK46-14 was selected as the acceptor framework.

The chimpanzee Jk gene segment of CPVK46-14 was identical to that of CPVK46-1 (SEQ ID NO: 97) and was selected as acceptor framework IV. The sequences of the donor VK3G9 and acceptor CPVK46-14 V regions were aligned and the positions of their respective framework and CDRs were determined as shown in Fig. 5.

The CDR residues were identified as defined by the convention of Kabat et al., supra. The results show that VK3G9 and CPVK46-14 share 65% overall sequence identity, with the framework regions I through III sharing 73% sequence identity.

Framework residues that could influence CDR presentation were identified by analysis of three-dimensional models based on known antibody crystal structures. The residues of this CDR-contacting set were compared among the aligned VK3G9 and CPVK46-14 sequences, and the positions of this set that differed between VK3G9 and the CPVK46-3 were marked. The CDRs and marked residues of VK3G9 (the donor antibody) were



transferred replacing the corresponding residues of CPVx46-14 (the acceptor antibody). Lastly, the framework IV sequences of CPVx46-14 replaced the corresponding framework IV residues of the 3G9 light chain variable region. The completed engineered 3G9 light chain V region is shown in SEQ ID NO: 77. Three donor framework residues were retained in the engineered light chain variable region at positions 3, 46 and 60.

The 3G9 heavy chain was engineered in analogous fashion. The amino acid sequence of donor antibody VH3G9 (SEQ ID NO: 75) was compared to each of the 9 chimpanzee VH sequences described above by computer homology searching. Clone CPVH41-18 (SEQ ID NO: 17) was identified as the chimpanzee VH region with the highest overall sequence similarity (53%) to the 3G9 donor VH.

The chimpanzee JH gene segment of CPVH41-18 was identical to CPVH41-9 (SEQ ID NO: 81) and was selected as acceptor framework IV. The sequences of the donor VH3G9 and chimpanzee acceptor V regions were aligned and the positions of their respective framework and CDRs determined as shown in Fig. 6.

The CDR residues were identified as defined by the convention of Kabat et al., *supra*. The results show that VH3G9 and CPVH41-18 share 53% overall sequence identity, with the framework regions I through III sharing 62% sequence identity.

Framework residues that could influence CDR presentation were identified by analysis of three-dimensional models based on known antibody crystal structures. The residues of this CDR-contacting set were compared among the aligned VH3G9 and CPVH41-18 sequences, and the twelve residues of the set that differed between VH3G9 and the chimpanzee acceptor frameworks were marked. The CDRs and the marked framework residues of donor antibody VH3G9 were transferred replacing the corresponding residues of CPVH41-18 (the acceptor antibody). Lastly, the framework IV sequences of CPVH41-18 replaced the corresponding framework IV residues of the 3G9 heavy chain variable region. The completed engineered 3G9 heavy chain V region is shown in SEQ ID NO: 78. Twelve donor framework residues were retained in the engineered heavy chain variable

region at positions 24, 27, 30, 38, 48, 66-69, 71, 73, and 94.

#### Example 9

##### 5     Expression and Characterization of Engineered anti-Erythropoietin Receptor Monoclonal Antibodies

The engineered 3G9 antibody was expressed in cells using methods well known to those skilled in the art. Briefly, genes encoding the complete engineered 3G9 VH and VK regions  
10     were assembled from long synthetic oligonucleotides and ligated into appropriate eukaryotic expression vectors containing IgG1 $\kappa$  antibody constant regions. The expression vector contained a selectable marker for neomycin resistance and CMV promoter regulatory sequences. Subsequent  
15     transfection of COS host cells resulted in the expression of engineered 3G9 (CP3G9).

Culture supernatants from COS cells transiently transfected with chimpanzee framework engineered 3G9 were compared with another 3G9 variant for the ability to bind  
20     human EPOR. The entire extracellular domain of the EPOR was expressed as recombinant protein, purified, and adsorbed onto the wells of ELISA plates. Dilutions of different antibodies were then tested for the ability to specifically bind to the solid phase associated EPOR.

HZ3G9 is a humanized variant of 3G9 in which human frameworks were used in traditional CDR grafting experiments. The humanized 3G9 heavy chain amino acid sequence is shown in SEQ ID NO: 79. The humanized 3G9 light chain sequence is shown in SEQ ID NO: 80. Previous experiments showed that  
30     HZ3G9 retained the full binding affinity and avidity of the parental murine 3G9. Accordingly, since HZ3G9G1 is identical to the chimpanzee version in all respects except the V region cassette, it was used in the present comparative binding experiments as a surrogate for murine 3G9. Negative control  
35     antibodies were also tested, including HZD12 which is a humanized antibody specific for human integrin, and CPB9 which is a chimpanzee framework engineered antibody specific for human integrins described above. Different concentrations of the 3G9 variants and control antibodies  
40     were incubated for one hour. After washing, the bound

antibodies were detected by incubation with anti-human H+L antibody-enzyme conjugate, a final wash, and addition of chromagen.

The binding curves obtained for CP3G9 and HZ3G9 were superimposable. This result indicates that the human and the chimpanzee framework engineered versions of 3G9 have identical overall binding avidity for the specific antigen human EPOR. Since the constant regions of HZ3G9 and CP3G9 are identical, the results also suggest the full binding affinity of the original rodent 3G9 is retained in the chimpanzee version of 3G9. Accordingly, the results show that CDR grafting of rodent CDRs onto chimpanzee acceptor frameworks as described in the present invention retained the full binding avidity of the parental rodent antibody.

A BIAcore analysis (Pharmacia) was performed to determine the binding affinity for human EPOR of murine 3G9 and CP3G9. The interaction of CP3G9 as well as murine 3G9 with EPOR was characterized using a BIAcore 1000 biosensor. Descriptions of the instrumentation and the sensor surfaces are described in Brigham-Burke *et al.*, *Anal. Biochem.*, 205:125-131 (1992).

CP3G9 was captured onto a sensor surface of immobilized protein A. The kinetic binding constants were determined by passing solutions of monomeric EPOR over the surface and monitoring binding versus time. The equilibrium dissociation constant for the interaction was then derived from the ratio of the kinetic constants. The parent murine 3G9 was captured onto a surface of protein A captured rabbit anti-mouse Fc specific polyclonal antibody. The kinetics and dissociation constant for the interaction with EPOR was determined as described above. All measurements were made in 10 mM sodium phosphate, 150 mM NaCl pH 7.2 3 mM EDTA and 0.005% Tween 20. The flow rate was 60  $\mu$ L/min. The temperature was 20° C.

	$k_{\text{ass}} \text{ (M}^{-1}\text{s}^{-1}\text{)}$	$k_{\text{diss}} \text{ (s}^{-1}\text{)}$	$K_D \text{ (nM)}$
murine 3G9	$1.2 \times 10^6$	$4.0 \times 10^{-3}$	3.3
CP3G9	$1.0 \times 10^6$	$9.1 \times 10^{-3}$	9.1

These results show that the dissociation equilibrium constants determined for the murine and chimpanzee framework versions of 3G9 are within three fold of each other. This

data is in good agreement with the results of the ELISA-based study described above. Accordingly, the results show that the process used in generating the chimpanzee version of 3G9 largely retained the binding affinity of the original rodent  
5 mAb.

The present invention may be embodied in other specific forms without departing from the spirit or essential attributes thereof, and, accordingly, reference should be  
10 made to the appended claims, rather than to the foregoing specification, as indicating the scope of the invention.

Claims

1. An antibody comprising donor CDRs derived from an antigen-specific donor antibody of a non-human species and acceptor framework residues derived from a non-human primate.
2. The antibody of claim 1 wherein the non-human primate is an Old World ape.
3. The antibody of claim 2 wherein the Old World ape is *Pan troglodytes*, *Pan paniscus* or *Gorilla gorilla*.
4. The antibody of claim 3 wherein the Old World ape is *Pan troglodytes*.
5. The antibody of claim 1 further comprising one or more CDR-contacting residues of the donor antibody.
6. The antibody of claim 1 comprising human or Old World ape constant regions.
7. The antibody of claim 1 wherein one or more solvent-exposed framework residues are replaced with corresponding residues from a homologous selected non-human primate framework.
8. The antibody of claim 1 wherein the non-human primate is an Old World monkey.
9. The antibody of claim 8 wherein the Old World monkey genus is *Macaca*.
10. The antibody of claim 9 wherein the Old World monkey is *Macaca cynomolgus*.
11. The antibody of claim 8 further comprising one or more CDR-contacting residues of the donor antibody.
12. The antibody of claim 8 comprising human or Old World ape constant regions.

13. The antibody of claim 8 wherein one or more solvent-exposed framework residues are replaced with corresponding residues from a homologous selected non-human primate framework.

14. A method for making an antibody having reduced immunogenicity in humans comprising grafting CDRs from antigen-specific non-human antibodies onto homologous Old World ape acceptor frameworks.

15. The method of claim 14 wherein the Old World ape acceptor framework is from *Pan troglodytes*, *Pan paniscus* or *Gorilla gorilla*.

16. The method of claim 15 wherein the Old World ape acceptor framework is from *Pan troglodytes*.

17. A method for making an antibody having reduced immunogenicity in humans comprising grafting CDRs from antigen-specific non-human antibodies onto homologous Old World monkey acceptor frameworks.

18. The method of claim 17 wherein the Old World monkey acceptor framework is from the genus *Macaca*.

19. The method of claim 18 wherein the Old World Monkey acceptor framework is from *Macaca cynomolgus*.

20. A chimpanzee VH acceptor framework I, II and III comprising an amino acid sequence as set forth in SEQ ID NOS: 10, 11, 12, 13, 14, 15, 16, 17 or 18.

21. A chimpanzee VH acceptor framework IV comprising an amino acid sequence as set forth in SEQ ID NOS: 81, 82, 83, 84 or 85.

22. A chimpanzee VK acceptor framework I, II and III comprising an amino acid sequence as set forth in SEQ ID NOS: 28, 29, 30, 31, 32, 33, 34, 35 or 36.

23. A chimpanzee VK acceptor framework IV comprising an amino acid sequence as set forth in SEQ ID NOS: 86 or 87.

24. A cynomolgus VH acceptor framework I, II and III comprising an amino acid sequence as set forth in SEQ ID NOS: 45, 46, 47, 48, 49, 50, 51 or 52.

25. A cynomolgus VH acceptor framework IV comprising an amino acid sequence as set forth in SEQ ID NOS: 88, 89, 90, 91, 92 or 93.

26. A cynomolgus VK acceptor framework I, II and III comprising an amino acid sequence as set forth in SEQ ID NOS: 59, 60, 61, 62, 63 or 64.

27. A cynomolgus VK acceptor framework IV comprising an amino acid sequence as set forth in SEQ ID NOS: 94, 95 or 96.

28. An isolated nucleic acid molecule encoding the amino acid sequence of SEQ ID NOS: 10, 11, 12, 13, 14, 15, 16, 17, 18, 28, 29, 30, 31, 32, 33, 34, 35 or 36.

29. An isolated nucleic acid molecule encoding the amino acid sequence of SEQ ID NOS: 81, 82, 83, 84, 85, 86 or 87.

30. An isolated nucleic acid molecule encoding the amino acid sequence of SEQ ID NOS: 45, 46, 47, 48, 49, 50, 51, 52, 59, 60, 61, 62, 63 or 64.

31. An isolated nucleic acid molecule encoding the amino acid sequence of SEQ ID NOS: 88, 89, 90, 91, 92, 93, 94, 95 or 96.

Figure 1

\*\*\*\*

4A6 DTVLTQSPA. LAVPPGERVT VSCRASESVS **TFL**EWYQQKP GHQP  
C108G AVHMTQSPSS LSASVGDSVT **ITCRASQTIN IYLM**WYQQKP GKAP

\*

\*

4A6 KLLIYL**LASKL** **ESG**VPARFSG GSGTDFTLT IDPVEADDTA **TYYCQQ****TW**ND  
C108G KLLIF**DASIL** **QSG**VPSRFSG SSGTDFSLT IRSLOPEDFA **TYYCQC****GWG**TH

4A6 **PRT**FGGGT KLELKR

C108G **PYN**FGQGT KLEIKR



Figure 2

\* \* \*

4A6 EVQLQQSGPE VGRPGSSVKI SCKASGYTFT ~~DYVLN~~<sup>1/1</sup> QSPGGLEWI  
 C108G EVQLVESGGG VVQPGGSLRL SCAASGFTFD ~~DFAMH~~WVR QAPGKGLEWI

\* \* \* \* \*

4A6 GWIDPDYG ~~TTDYAEKPKK~~ KATLTADTSS STAYIQLSSL TSEDATYFC  
 C108G SLVSWDSY ~~NIYHADSVKG~~ RFTISRDNRS NSLYLQMNDL RPEDTAIYFC

\*

4A6 ARSRNYGG... ..YI NYWGQGVMTVS  
 C108G AKADTGGDFD YVSDSWRCAL DYWGQGLVTVS

3 / 6

Figur 3

	1		<b>CDR1</b>
VLB9	DIQMTQTSS	LSASLGDRVT	ITCRSSQ.....DISNFLN WYQKPDGTV
Cmp46-3	DIQMTQSPSS	LSASVGDRVT	ITCRASQ.....GISNYLA WYQKPGKAP
	45	<b>CDR2</b>	<b>CDR3 94</b>
VLB9	KLLIYYTSTL	HSGVPSRFSG	SGSGTDYSLT ISNLEQEDIA TYFCQQGNTL
Cmp46-3	KLLIYYASRL	ESGVPSRFSG	SGSGTDYTLT ISSLPEDFA TYCYQQYNSN
	95		
VLB9	P..WTFGGGT	NLEIKR	
cmp46-1		FGGGT KVEIKR	

4 / 6

Figure 4

	1	11	21	*	*	<b>CDR1</b>	39	48
VHB9	QVQLQQSGAE	LMKPGASVKI	SCKATGYTFS	<b>SYWIE</b>	..WVK	QRP	GHG	LEWI
AMP41CL18	QVQLVQSGAE	VKKPGSSVKV	SCKVSGGTFS	<b>TYGFS</b>	..WVR	QAP	QG	LEWM
	49	<b>CDR2</b>	66	*	*	76	83	92
VHB9	<b>GEILP</b>	<b>..RSG</b>	<b>NTNYNEKFKG</b>	KATFTAETSS	NTAYMQLSSL	TPED	SAV	YYC
AMP41CL18	<b>GMIIP</b>	<b>..IVG</b>	<b>TVKYAQRFG</b>	RVSINADTST	NIAYMELTSL			
RSEDTAVYYC								
	93	<b>CDR3</b>	104					
VHB9	<b>SSRGV</b>	<b>RGSM</b>	<b>.....DIW</b>	QGQTS	SVTVSS			
AMP41CL18	<b>ATDLT</b>	<b>VTTNDAF</b>	<b>.....DI</b>					
AMP41CL10				W	QGQTL	VTVSS		

5 / 6

Figure 5

	1			CDR1	
		*			
VL3G9				DIVMTQSQKF MSTSVGDRVS VTCKASQ.....NVGTNVA	WYQQKPGQSP
VK46-14				DIQMTQSPSS LSASVGDRVT ITCRASQ.....SISNYLS	WYQQKPGKAP
	45		CDR2		
		*			
VL3G9				KALIYSASYR YSGVPDRFTG SGSGTDFTLT ISNVQSEDLA EYFCQQYNSY	
VK46-14				KLLIYYASTL QSGVPSRFSG SGSGTDFTLT ISSLPEDFA TYYCQHGYYT	
			95		
VL3G9				P..LTFGAGT KLELK	
VK46-14				H..PTFGGGT KVEIK	

6 / 6

Figur 6

	1	11	21	* * *	<b>CDR1</b>	39	48
VH3G9	QVQLQQPGAE	LVKSGASVKL	SCKASGSTFT	<del>SYWH</del>	..WVK	QRPGRGLEWI	*
Chimp41-18	QVQLVQSGAE	VKKPGSSVKV	SCKVSGGTFS	<b>TYGFS</b>	..WVR	QAPGQGLEWM	
	49	<b>CDR2</b>	66	* * * *	76	83	92
VH3G9	<b>GRIDP</b>	<b>..NSG</b>	<b>GTKDNEKFKS</b>	KATLTVDKPS	STAYMQLSSL	TSEDSAVYYC	
Chimp41-18	<b>GMIIP</b>	<b>..IVG</b>	<b>TVKYAQRFG</b>	RVSINADTST	NIAYMELTSL	RSEDTAVYYC	
	93	<b>CDR3</b>	104				
VH3G9	<b>ARETTYDSS</b>	.....	<b>FAYW</b>	QGGLTVTVS			
Chimp41-18	<b>ATDLTVTTN</b>	.....	<b>DAFDIW</b>	QGGLTMVTVS			

## SEQUENCE LISTING

<110> Taylor, Alexander H

## <120> Monoclonal Antibodies with Reduced Immunogenicity

<130> P50770

<150> 60/083.367

<151> 1998-04-28

<160> 97

<170> FastSEQ for Windows Version 3.0

<210> 1

**<211> 429**

<212> DNA

<213> Pan troglodytes

**<220>**

<221> CDS

<222> (1) ... (429)

<400> 1

atg aaa cac ctg tgg ttc ttc ctc ctg ctg gtg gca gct ccc aga tgg 48

Met Lys His Leu Trp Phe Phe Leu Leu Leu Val Ala Ala Pro Arg Trp

**1                      5                      10                      15**

gtc ctg tcc cag gtg cag ttg cag gag tcg ggc cca gga ctg gtg aag 96

Val Leu Ser Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys

**20                      25                      30**

cct tca cag acc ttg tcc ctg acc tgc gct gtg tct ggt ggc tcc atc 144

Pro Ser Gln Thr Leu Ser Leu Thr Cys Ala Val Ser Gly Gly Ser Ile

35	40	45	
act agt gct tac tac tat tgg agc tgg atc cgc cag tca cca ggg aag			192
Thr Ser Ala Tyr Tyr Tyr Trp Ser Trp Ile Arg Gln Ser Pro Gly Lys			
50	55	60	
gga ctg gag tgg att ggg agt atc tat tat agt ggg acc att ttc tcc			240
Gly Leu Glu Trp Ile Gly Ser Ile Tyr Tyr Ser Gly Thr Ile Phe Ser			
65	70	75	80
aac cca tcc ctc aag agt cga gtc gcc atg tca gta ggc acg tcc aag			288
Asn Pro Ser Leu Lys Ser Arg Val Ala Met Ser Val Gly Thr Ser Lys			
85	90	95	
acc cag ttc tcc ctg agc ttg agt tct gtg acc gcc gcg gac acg gcc			336
Thr Gln Phe Ser Leu Ser Leu Ser Ser Val Thr Ala Ala Asp Thr Ala			
100	105	110	
gtg tac tac tgt gcg aga ggt ctg ctc ctc acc att gga ctg acc aac			384
Val Tyr Tyr Cys Ala Arg Gly Leu Leu Leu Thr Ile Gly Leu Thr Asn			
115	120	125	
tac tac ttt gac tac tgg ggc ccg gga acc ctg gtc acc gtc ttc			429
Tyr Tyr Phe Asp Tyr Trp Gly Pro Gly Thr Leu Val Thr Val Phe			
130	135	140	

&lt;210&gt; 2

&lt;211&gt; 414

&lt;212&gt; DNA

&lt;213&gt; Pan troglodytes

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(414)

&lt;400&gt; 2

atg aaa cac ctg tgg ttc ttc ctc ctg ctg gtg gca gct ccc aga tgg 48  
 Met Lys His Leu Trp Phe Phe Leu Leu Leu Val Ala Ala Pro Arg Trp  
 1 5 10 15

gtc ctg tcc cag gtg cag cta cag gag tgc ggc cca gga cta gtg aag 96  
 Val Leu Ser Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys  
 20 25 30

ccg tca cag acc ctg tcc ctc acc tgc ggt gtc tct ggt gcc tcc atc 144  
 Pro Ser Gln Thr Leu Ser Leu Thr Cys Gly Val Ser Gly Ala Ser Ile  
 35 40 45

aat agt ggt gtt cat tac tgg gcc tgg ata cgc cag cct gca gga aag 192  
 Asn Ser Gly Val His Tyr Trp Ala Trp Ile Arg Gln Pro Ala Gly Lys  
 50 55 60

gga ctg gag tgg att ggc aat atc tat cat agt ggg agc gcc tac tac 240  
 Gly Leu Glu Trp Ile Gly Asn Ile Tyr His Ser Gly Ser Ala Tyr Tyr  
 65 70 75 80

act cca tcc ctc gag agt cga gtc tcc atg tca ata gag acg tcc aag 288  
 Thr Pro Ser Leu Glu Ser Arg Val Ser Met Ser Ile Glu Thr Ser Lys  
 85 90 95

agc cag ttc ttc cta aac tta aat tct ctg acc gcc gcg gac acg gct 336  
 Ser Gln Phe Phe Leu Asn Leu Asn Ser Leu Thr Ala Ala Asp Thr Ala  
 100 105 110

atc tat tat tgt gcg aga cga cat act tcg tca gac tac ttt gac ttt 384  
 Ile Tyr Tyr Cys Ala Arg Arg His Thr Ser Ser Asp Tyr Phe Asp Phe  
 115 120 125

tgg ggc cgc gga atc ctg gtc atc gtc tcc 414  
 Trp Gly Arg Gly Ile Leu Val Ile Val Ser  
 130 135

&lt;210&gt; 3



<211> 427

<212> DNA

<213> Pan troglodytes

 $\langle 220 \rangle$ 

<221> CDS

<222> (1) . . . (427)

<400> 3

atg ggg tca acc gcc atc ctc gcc ctc ctc ctg gct gtt ctc gaa gga 48  
Met Gly Ser Thr Ala Ile Leu Ala Leu Leu Leu Ala Val Leu Glu Gly  
1 5 10 15

gtc cgt gca gac gtg cag ctg gtg cag tcc gga gca gag gtg aaa aag 96  
Val Arg Ala Asp Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys  
20 25 30

ccc ggg gag tct ctg aag atc tcc tgt aag gtc tct gga aat gaa ttt 144  
Pro Gly Glu Ser Leu Lys Ile Ser Cys Lys Val Ser Gly Asn Glu Phe  
35 40 45

acc aac tac tgg atc gcc tgg gtg cgc cag atg tcc ggg aaa ggc ctg 192  
Thr Asn Tyr Trp Ile Ala Trp Val Arg Gln Met Ser Gly Lys Gly Leu  
50 55 60

gag tgg atg ggg agc atc tat cct ggt gac tct gat acc aga tac aac 240  
Glu Trp Met Gly Ser Ile Tyr Pro Gly Asp Ser Asp Thr Arg Tyr Asn  
65 70 75 80

ccg tcc ttc caa ggc caa gtc acc ttt tca gcc gac aag tcc atc acc 288  
Pro Ser Phe Gln Gly Gln Val Thr Phe Ser Ala Asp Lys Ser Ile Thr  
85 90 95

acc gcc tat ttg cag tgg agt agt ctg gag gcc tgc gac acc gcc atg 336  
Thr Ala Tyr Leu Gln Trp Ser Ser Leu Glu Ala Ser Asp Thr Ala Met  
100 105 110

tac tac tgt gcg agc cga aat cac ttt gtt ttc ggg gaa gtt att act 384  
 Tyr Tyr Cys Ala Ser Arg Asn His Phe Val Phe Gly Glu Val Ile Thr  
 115 120 125

act ttg acg gct ggg gcc agg gaa acc ctg ggt cac cgt ctc c 427  
 Thr Leu Thr Ala Gly Ala Arg Glu Thr Leu Gly His Arg Leu  
 130 135 140

<210> 4  
 <211> 402  
 <212> DNA  
 <213> Pan troglodytes

<220>  
 <221> CDS  
 <222> (1)...(402)

<400> 4  
 ttg ggg ctc cgc tgg gtt ttc ctt gtt gct ttt tta gaa ggt gtc cag 48  
 Leu Gly Leu Arg Trp Val Phe Leu Val Ala Phe Leu Glu Gly Val Gln  
 1 5 10 15

tgt gag gta cag ctg gtg gag tct ggg gga ggc ttg gta cag cct ggg 96  
 Cys Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly  
 20 25 30

ggg tcc ttg aca ctc tcc tgt gca gcc tct gga ttc acc ttc agt agg 144  
 Gly Ser Leu Thr Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Arg  
 35 40 45

agt ggc atg cac tgg gtc cgc cag gct cca ggg aag gga ctg ggg tgg 192  
 Ser Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Gly Trp  
 50 55 60

ctt gca tac att gat tat ggc agt att ttc ata tac tac tcg gac tca 240  
 Leu Ala Tyr Ile Asp Tyr Gly Ser Ile Phe Ile Tyr Tyr Ser Asp Ser

65	70	75	80	
gtg aag ggc cgc ttc acc atc tcc aga gac aac gcc aag aat tca ctc				288
Val Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu				
	85	90	95	
tat ctg caa atg aac agc ctg aga gcc gac gac acg gct ttt tat tac				336
Tyr Leu Gln Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Phe Tyr Tyr				
	100	105	110	
tgt acg acc cat aat tgg ggg gag tta act gac tac tgg ggc cag gga				384
Cys Thr Thr His Asn Trp Gly Glu Leu Thr Asp Tyr Trp Gly Gln Gly				
	115	120	125	
acc ctg gtc acc gtc tcc				402
Thr Leu Val Thr Val Ser				
130				

<210> 5  
 <211> 408  
 <212> DNA  
 <213> Pan troglodytes

<220>  
 <221> CDS  
 <222> (1)...(408)

<400> 5										
atg gaa ttg ggg ctc cgc tgg gtt ttc ctt gtt gct ttt tta gaa ggt										48
Met Glu Leu Gly Leu Arg Trp Val Phe Leu Val Ala Phe Leu Glu Gly										
1		5			10				15	
gtc cag tgt gag gta cag ctg gtg gag tct ggg gga gcc ttg gta cag										96
Val Gln Cys Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln										
	20				25				30	

cct ggg ggg tcc ttg aca ctc tcc tgt gca gcc tct gga ttc acc ttc	144
Pro Gly Gly Ser Leu Thr Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe	
35 40 45	
agt agg agt ggc atg cac tgg gtc cgc cag gct cca ggg aag gga ctg	192
Ser Arg Ser Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu	
50 55 60	
gag tgg ctt gca tac att gat tat ggc agt att ttc ata tac tac tcg	240
Glu Trp Leu Ala Tyr Ile Asp Tyr Gly Ser Ile Phe Ile Tyr Tyr Ser	
65 70 75 80	
gac tca gtg aag ggc cgc ttc acc atc tcc aga gac aac gcc aag aat	288
Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn	
85 90 95	
tca ctc tat ctg caa atg aac agc ctg aga gcc gac gac acg gct ttt	336
Ser Leu Tyr Leu Gln Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Phe	
100 105 110	
tat tac tgt acg acc cat aat tgg ggg gag tta act gac tac tgg ggc	384
Tyr Tyr Cys Thr Thr His Asn Trp Gly Glu Leu Thr Asp Tyr Trp Gly	
115 120 125	
cag gga acc ctg gtc acc gtc tcc	408
Gln Gly Thr Leu Val Thr Val Ser	
130 135	

&lt;210&gt; 6

&lt;211&gt; 421

&lt;212&gt; DNA

&lt;213&gt; Pan troglodytes

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(421)

&lt;400&gt; 6

atg atg ggg tca acc gcc atc ctc gcc ctc ctc ctg gct gtt ctc caa	48
Met Met Gly Ser Thr Ala Ile Leu Ala Leu Leu Ala Val Leu Gln	
1 5 10 15	
gga gtc tgt gca gag gtg cag ctg gtg cag tct gga gca gag gtg aaa	96
Gly Val Cys Ala Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys	
20 25 30	
aag ccc ggg gag tct ctg aag atc tcc tgt aag ggc tct gga tac agt	144
Lys Pro Gly Glu Ser Leu Lys Ile Ser Cys Lys Gly Ser Gly Tyr Ser	
35 40 45	
ttt acc aac tac tgg atg ggc tgg gtg tgc cag atg ccc ggg aaa ggc	192
Phe Thr Asn Tyr Trp Met Gly Trp Val Cys Gln Met Pro Gly Lys Gly	
50 55 60	
ccg gag tgc atg ggg atc atc tat cct gat gac tct gat acc aga tac	240
Pro Glu Cys Met Gly Ile Ile Tyr Pro Asp Asp Ser Asp Thr Arg Tyr	
65 70 75 80	
agc ccg tcc ttc caa ggc cag gtc acc atc tca gcc gac aag tcc atc	288
Ser Pro Ser Phe Gln Gly Gln Val Thr Ile Ser Ala Asp Lys Ser Ile	
85 90 95	
agc acc gcc tac cta caa tgg agc aac ctg aag gcc tgc gac acc gcc	336
Ser Thr Ala Tyr Leu Gln Trp Ser Asn Leu Lys Ala Ser Asp Thr Ala	
100 105 110	
ata tat tac tgt gcg aga tgt tat ggt tgg act act tgc gaa gct ttt	384
Ile Tyr Tyr Cys Ala Arg Cys Tyr Gly Trp Thr Thr Cys Glu Ala Phe	
115 120 125	
gat atc tgg ggc caa ggg aca atg gtc acc gtc tct t	421
Asp Ile Trp Gly Gln Gly Thr Met Val Thr Val Ser	
130 135 140	

<210> 7  
 <211> 417  
 <212> DNA  
 <213> Pan troglodytes

<220>  
 <221> CDS  
 <222> (1)...(417)

<400> 7

ttg tgg ttc ttc ctt ctc ctg gtg gca gct ccc aga tgg gtc ctg tcc	48
Leu Trp Phe Phe Leu Leu Val Ala Ala Pro Arg Trp Val Leu Ser	
1 5 10 15	
cag ctg cag ctg cag gag tgg ggc cca gga ctg gtg aag cct tca cag	96
Gln Leu Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Gln	
20 25 30	
acc ctg tcc ctc acc tgc act gtc tct ggt ggc tcc atc agc agt ggt	144
Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Gly Ser Ile Ser Ser Gly	
35 40 45	
agt tac tac tgg agt tgg atc cgg cag ccc gcc ggg aag cga ctg gag	192
Ser Tyr Tyr Trp Ser Trp Ile Arg Gln Pro Ala Gly Lys Arg Leu Glu	
50 55 60	
tgg att ggg tat att tat tat agt ggg agt acc tac tac aac cca tcc	240
Trp Ile Gly Tyr Ile Tyr Tyr Ser Gly Ser Thr Tyr Tyr Asn Pro Ser	
65 70 75 80	
ctc aag agt cga gtc acc ata tca gta gac acg tcc aag aac cag ttc	288
Leu Lys Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe	
85 90 95	
tcc ctg aag ctg agc tct gtg acc gcc gca gac acg gcc gtc tat tac	336

Ser Leu Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr  
 100 105 110  
 tgt gcg aga tct ccc caa aac gta tta caa tct ttg gac tgc ttc gac 384  
 Cys Ala Arg Ser Pro Gln Asn Val Leu Gln Ser Leu Asp Cys Phe Asp  
 115 120 125

ccc tgg ggc cag gga acc ctg gtc acc gtc tcc 417  
 Pro Trp Gly Gln Gly Thr Leu Val Thr Val Ser  
 130 135

<210> 8

<211> 369

<212> DNA

<213> Pan troglodytes

<220>

<221> CDS

<222> (1)...(369)

<400> 8

gtc cag tcc cag gtc cag ctg gtg cag tcc ggg gct gag gtg aag aag 48  
 Val Gln Ser Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys  
 1 5 10 15

cct ggg tcc tca gtg aag gtc tcc tgc aag gtt tcc gga ggc acc ttc 96  
 Pro Gly Ser Ser Val Lys Val Ser Cys Lys Val Ser Gly Gly Thr Phe  
 20 25 30

agc acc tat ggt ttc agc tgg gtg cgg cag gcc cct gga caa ggg ctt 144  
 Ser Thr Tyr Gly Phe Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu  
 35 40 45

gag tgg atg gga atg atc atc cct atc gtt ggc aca gta aag tac gca 192  
 Glu Trp Met Gly Met Ile Ile Pro Ile Val Gly Thr Val Lys Tyr Ala  
 50 55 60

cag agg ttc cag ggc aga gtc tca att aat gcg gac aca tcc acg aat 240  
 Gln Arg Phe Gln Gly Arg Val Ser Ile Asn Ala Asp Thr Ser Thr Asn  
 65 70 75 80

ata gcc tac atg gag ctg acc agc ctg aga tct gag gac acg gcc gtc 288  
 Ile Ala Tyr Met Glu Leu Thr Ser Leu Arg Ser Glu Asp Thr Ala Val  
 85 90 95

tat tac tgt gcg aca gat ctg acg gtg act act aat gat gca ttt gat 336  
 Tyr Tyr Cys Ala Thr Asp Leu Thr Val Thr Thr Asn Asp Ala Phe Asp  
 100 105 110

atc tgg ggc caa ggg aca atg gtc acc gtc tct 369  
 Ile Trp Gly Gln Gly Thr Met Val Thr Val Ser  
 115 120

<210> 9

<211> 423

<212> DNA

<213> Pan troglodytes

<220>

<221> CDS

<222> (1)...(423)

<400> 9

atg gag ttt ggg ctg agc tgg ctt ttt ctt gtg gct att tta aaa ggt 48  
 Met Glu Phe Gly Leu Ser Trp Leu Phe Leu Val Ala Ile Leu Lys Gly  
 1 5 10 15

gtc cag tgt gag gtg cag ctg gtg gag tct ggg gaa gcc ttg gta aag 96  
 Val Gln Cys Glu Val Gln Leu Val Glu Ser Gly Glu Gly Leu Val Lys  
 20 25 30

cct ggg ggt tcc ctg aga ctc tgg tgt gca gcc tct gga ttc acc ttc 144



Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe	
35 40 45	
agt agt ttt ctt atg ttc tgg gtc cgc cag gct cca gaa aag ggg ctg	192
Ser Ser Phe Leu Met Phe Trp Val Arg Gln Ala Pro Glu Lys Gly Leu	
50 55 60	
gag tgg gtc tca act att gat gtt agt ggt ggt aat atg tgg tac cga	240
Glu Trp Val Ser Thr Ile Asp Val Ser Gly Gly Asn Met Trp Tyr Arg	
65 70 75 80	
gac tct gtc aag ggc cga ttc acc atg tcc aga gac aat tcc aag aac	288
Asp Ser Val Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ser Lys Asn	
85 90 95	
aca ctg tat ctg caa atg acc agc ctg aga gcc gac gac acg gcc gtt	336
Thr Leu Tyr Leu Gln Met Thr Ser Leu Arg Ala Asp Asp Thr Ala Val	
100 105 110	
tac tat tgt gcg aga gag gga cga gac cct agc ggc act tgg gga tac	384
Tyr Tyr Cys Ala Arg Glu Gly Arg Asp Pro Ser Gly Thr Trp Gly Tyr	
115 120 125	
ttt gac tac tgg ggc cag gga atc ctg gtc acc gtc tcc	423
Phe Asp Tyr Trp Gly Gln Gly Ile Leu Val Thr Val Ser	
130 135 140	

&lt;210&gt; 10

&lt;211&gt; 97

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (31)...(37)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (52)...(67)

&lt;223&gt; CDRII

&lt;400&gt; 10

Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Gln  
 1                    5                    10                    15  
 Thr Leu Ser Leu Thr Cys Ala Val Ser Gly Gly Ser Ile Thr Ser Ala  
                   20                    25                    30  
 Tyr Tyr Tyr Trp Ser Trp Ile Arg Gln Ser Pro Gly Lys Gly Leu Glu  
                   35                    40                    45  
 Trp Ile Gly Ser Ile Tyr Tyr Ser Ser Gly Thr Ile Phe Ser Asn Pro Ser  
                   50                    55                    60  
 Leu Lys Ser Arg Val Ala Met Ser Val Gly Thr Ser Lys Thr Gln Phe  
 65                    70                    75                    80  
 Ser Leu Ser Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr  
                   85                    90                    95  
 Cys

&lt;210&gt; 11

&lt;211&gt; 96

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (31)...(37)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (52)...(67)

&lt;223&gt; CDRII

&lt;400&gt; 11

Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Gln

```

      1           5           10           15
Thr Leu Ser Leu Thr Cys Gly Val Ser Gly Ala Ser Ile Asn Ser Gly
      20           25           30
Val His Tyr Trp Ala Trp Ile Arg Gln Pro Ala Gly Lys Gly Leu Glu
      35           40           45
Trp Ile Gly Asn Ile Tyr His Ser Gly Ser Ala Tyr Tyr Thr Pro Ser
      50           55           60
Leu Glu Ser Arg Val Ser Met Ser Ile Glu Thr Ser Lys Ser Gln Phe
      65           70           75           80
Phe Leu Asn Leu Asn Ser Leu Thr Ala Asp Thr Ala Ile Tyr Tyr Cys
      85           90           95

```

&lt;210&gt; 12

&lt;211&gt; 96

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (31)...(35)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(66)

&lt;223&gt; CDRII

&lt;400&gt; 12

```

Asp Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Glu
      1           5           10           15
Ser Leu Lys Ile Ser Cys Lys Val Ser Gly Asn Glu Phe Thr Asn Tyr
      20           25           30
Trp Ile Ala Trp Val Arg Gln Met Ser Gly Lys Gly Leu Glu Trp Met
      35           40           45
Gly Ser Ile Tyr Pro Gly Asp Ser Asp Thr Arg Tyr Asn Pro Ser Phe
      50           55           60
Gln Gly Gln Val Thr Phe Ser Ala Asp Lys Ser Ile Thr Thr Ala Tyr
      65           70           75           80

```

Leu Gln Trp Ser Ser Leu Glu Ala Ser Asp Thr Ala Met Tyr Tyr Cys  
 85 90 95

<210> 13

<211> 96

<212> PRT

<213> Pan troglodytes

<220>

<221> DOMAIN

<222> (31)...(35)

<223> CDRI

<221> DOMAIN

<222> (50)...(66)

<223> CDRII

<400> 13

Asp Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Glu  
 1 5 10 15  
 Ser Leu Lys Ile Ser Cys Lys Val Ser Gly Asn Glu Phe Thr Asn Tyr  
 20 25 30  
 Trp Ile Ala Trp Val Arg Gln Met Ser Gly Lys Gly Leu Glu Trp Met  
 35 40 45  
 Gly Ser Ile Tyr Pro Gly Asp Ser Asp Thr Arg Tyr Asn Pro Ser Phe  
 50 55 60  
 Gln Gly Gln Val Thr Phe Ser Ala Asp Lys Ser Ile Thr Thr Ala Tyr  
 65 70 75 80  
 Leu Gln Trp Ser Ser Leu Glu Ala Ser Asp Thr Ala Met Tyr Tyr Cys  
 85 90 95

<210> 14

<211> 96

<212> PRT

<213> Pan troglodytes

<220>

&lt;221&gt; DOMAIN

&lt;222&gt; (31)...(35)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(66)

&lt;223&gt; CDRII

&lt;400&gt; 14

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly
1				5					10					15	
Ser	Leu	Thr	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Arg	Ser
			20					25					30		
Gly	Met	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Gly	Trp	Leu
		35					40					45			
Ala	Tyr	Ile	Asp	Tyr	Gly	Ser	Ile	Phe	Ile	Tyr	Tyr	Ser	Asp	Ser	Val
	50					55				60					
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr
65				70				75					80		
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Asp	Asp	Thr	Ala	Phe	Tyr	Tyr	Cys
			85					90					95		

&lt;210&gt; 15

&lt;211&gt; 96

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (31)...(35)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(66)

&lt;223&gt; CDRII

&lt;400&gt; 15

```

Glu Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Glu
 1           5           10           15
Ser Leu Lys Ile Ser Cys Lys Gly Ser Gly Tyr Ser Phe Thr Asn Tyr
          20           25           30
Trp Met Gly Trp Val Cys Gln Met Pro Gly Lys Gly Pro Glu Cys Met
          35           40           45
Gly Ile Ile Tyr Pro Asp Asp Ser Asp Thr Arg Tyr Ser Pro Ser Phe
 50           55           60
Gln Gly Gln Val Thr Ile Ser Ala Asp Lys Ser Ile Ser Thr Ala Tyr
 65           70           75           80
Leu Gln Trp Ser Asn Leu Lys Ala Ser Asp Thr Ala Ile Tyr Tyr Cys
          85           90           95

```

&lt;210&gt; 16

&lt;211&gt; 97

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (31)...(37)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (52)...(67)

&lt;223&gt; CDRII

&lt;400&gt; 16

```

Gln Leu Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Gln
 1           5           10           15
Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Gly Ser Ile Ser Ser Gly
          20           25           30
Ser Tyr Tyr Trp Ser Trp Ile Arg Gln Pro Ala Gly Lys Arg Leu Glu
          35           40           45
Trp Ile Gly Tyr Ile Tyr Tyr Ser Gly Ser Thr Tyr Tyr Asn Pro Ser
          50           55           60
Leu Lys Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe

```

65                      70                      75                      80  
Ser Leu Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr  
                              85                      90                      95  
Cys

```
<210> 17
<211> 96
<212> PRT
<213> Pan troglodytes
```

```
<220>
<221> DOMAIN
<222> (31)...(35)
<223> CDRI
```

```
<221> DOMAIN
<222> (50) ... (66)
<223> CDRII
```

<400> 17																
Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Ala	Glu	Val	Lys	Lys	Pro	Gly	Ser	
1			5						10					15		
Ser	Val	Lys	Val	Ser	Cys	Lys	Val	Ser	Gly	Gly	Thr	Phe	Ser	Thr	Tyr	
		20						25					30			
Gly	Phe	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met	
	35					40						45				
Gly	Met	Ile	Ile	Pro	Ile	Val	Gly	Thr	Val	Lys	Tyr	Ala	Gln	Arg	Phe	
50					55					60						
Gln	Gly	Arg	Val	Ser	Ile	Asn	Ala	Asp	Thr	Ser	Thr	Asn	Ile	Ala	Tyr	
65			70						75					80		
Met	Glu	Leu	Thr	Ser	Leu	Arg	Ser	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85				90					95			

```
<210> 18
<211> 96
<212> PRT
```

&lt;213&gt; Pan troglodytes

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (31)...(35)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(66)

&lt;223&gt; CDRII

&lt;400&gt; 18

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Glu	Gly	Leu	Val	Lys	Pro	Gly	Gly
1				5					10					15	
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Ser	Phe
			20						25				30		
Leu	Met	Phe	Trp	Val	Arg	Gln	Ala	Pro	Glu	Lys	Gly	Leu	Glu	Trp	Val
		35					40					45			
Ser	Thr	Ile	Asp	Val	Ser	Gly	Gly	Asn	Met	Trp	Tyr	Arg	Asp	Ser	Val
	50					55					60				
Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ser	Lys	Asn	Thr	Leu	Tyr
65					70					75				80	
Leu	Gln	Met	Thr	Ser	Leu	Arg	Ala	Asp	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90				95	

&lt;210&gt; 19

&lt;211&gt; 381

&lt;212&gt; DNA

&lt;213&gt; Pan troglodytes

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(381)

&lt;400&gt; 19

atg	agg	gtc	cct	gct	cag	ctc	ctg	ggg	ctc	ctg	ctg	ctc	tgg	ctc	tca	48
Met	Arg	Val	Pro	Ala	Gln	Leu	Leu	Gly	Leu	Leu	Leu	Leu	Trp	Leu	Ser	



1	5	10	15	
ggc gcc aga tgt gac atc cag atg acc cag ttt cca tcc tcc ctg tct				96
Gly Ala Arg Cys Asp Ile Gln Met Thr Gln Phe Pro Ser Ser Leu Ser				
	20	25	30	
gca tct gta gga gac aga gtc acc atc act tgc cag tca agt cag agc				144
Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Gln Ser Ser Gln Ser				
	35	40	45	
att tac aac tgc ttg agt tgg tat cag cag aaa cca ggg aag gcc cct				192
Ile Tyr Asn Cys Leu Ser Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro				
	50	55	60	
aca ctc cta atc tat ggt gca ttc acc ttg aat agt ggg gtc cca tca				240
Thr Leu Leu Ile Tyr Gly Ala Phe Thr Leu Asn Ser Gly Val Pro Ser				
	65	70	75	80
aga ttc agt ggc agt gga tct ggc aca gat ttc act ctc acc atc agc				288
Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser				
	85	90	95	
aat ctg caa cct gaa gat ttt gca aca tat tac tgt cag cgt ggt tac				336
Asn Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Arg Gly Tyr				
	100	105	110	
ggc aca cag ctc act ttc ggt gga ggg acc aag gtg gag atc aag				384
Gly Thr Gln Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys				
	115	120	125	

&lt;210&gt; 20

&lt;211&gt; 384

&lt;212&gt; DNA

&lt;213&gt; Pan troglodytes

&lt;220&gt;

<221> CDS

<222> (1) . . . (384)

<400> 20

atg gac atg agg gtc ccc gct cag ctc ctg ggg ctc ctg ctg ctc tgg 48  
Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp  
1 5 10 15

ctc cca ggt acc aga tgt gac atc cag atg acc cag tct cca tcc tcc 96  
Leu Pro Gly Thr Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser  
20 25 30

ctg tct gca tct gta gga gac aga gtc acc atc act tgc cgg gcc agt 144  
Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser  
35 40 45

cag ggc att agc aat tat tta gcc tgg tat cag cag aaa cca ggg aaa 192  
 Gln Gly Ile Ser Asn Tyr Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys  
 50 55 60

gcc cct aag ctc ctc atc tat tat gca tcc aga ttg gaa agt ggg gtc 240  
Ala Pro Lys Leu Leu Ile Tyr Tyr Ala Ser Arg Leu Glu Ser Gly Val  
65 70 75 80

cca tca agg ttc agc ggc agt gga tct ggg acg gat tac act ctc acc 288  
Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr  
85 90 95

Atc agc agc ctg cag cct gaa gat ttt gca act tat tac tgt caa cag 336  
Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln  
100 105 110

tat aac agt aac ccc ttt tgc gtg gag gga cca agg tgg aga tca aac 384  
Tyr Asn Ser Asn Pro Phe Ser Val Glu Gly Pro Arg Trp Arg Ser Asn  
115 120 125

&lt;210&gt; 21

&lt;211&gt; 384

&lt;212&gt; DNA

&lt;213&gt; Pan troglodytes

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(384)

&lt;400&gt; 21

atg	tcg	cca	tca	caa	ctc	att	ggg	ttt	ctg	ctg	ctc	tgg	gtt	cca	gcc	48
Met	Ser	Pro	Ser	Gln	Leu	Ile	Gly	Phe	Leu	Leu	Leu	Trp	Val	Pro	Ala	
1				5					10					15		

tcc	agg	ggg	gaa	att	gtg	ctg	act	cag	tct	cca	gac	ttt	cag	tct	gtg	96
Ser	Arg	Gly	Glu	Ile	Val	Leu	Thr	Gln	Ser	Pro	Asp	Phe	Gln	Ser	Val	
			20					25					30			

cct	cca	aag	gag	aaa	gtc	acc	atc	acc	tgc	cgg	gcc	agt	cag	agc	att	144
Pro	Pro	Lys	Glu	Lys	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Ile	
		35					40					45				

ggg	agt	agc	tta	cac	tgg	tac	cag	cag	aaa	cca	ggg	cag	tct	cca	aag	192
Gly	Ser	Ser	Leu	His	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Gln	Ser	Pro	Lys	
	50						55				60					

ctc	ctc	atc	aag	tat	gct	tcc	cag	tcc	atc	tca	ggg	gtc	ccc	tcg	agg	240
Leu	Leu	Ile	Lys	Tyr	Ala	Ser	Gln	Ser	Ile	Ser	Gly	Val	Pro	Ser	Arg	
	65					70				75				80		

ttc	agt	ggc	agt	gga	tct	ggg	aca	gat	ttc	acc	ctc	acc	atc	aat	agc	288
Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Asn	Ser	
				85				90					95			

ctg	gaa	gct	gaa	gat	gct	gca	acg	tat	tac	tgt	cag	caa	agt	agt	aat	336
Leu	Glu	Ala	Glu	Asp	Ala	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Ser	Ser	Asn	
			100					105					110			

tta cct cat acg ctc act ttc ggt gga ggg acc aag gtg gag atc aaa 384  
 Leu Pro His Thr Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys

115

120

125

&lt;210&gt; 22

&lt;211&gt; 372

&lt;212&gt; DNA

&lt;213&gt; Pan troglodytes

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(372)

&lt;400&gt; 22

gtc cct gct cag ctc ctg ggg ctc ctg ctg ctc tgg ctc tca ggt gcc 48  
 Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp Leu Ser Gly Ala  
 1 5 10 15

aga tgt gac atc cag atg acc cag tct cca tcc tcc ctg tct gca tct 96  
 Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser  
 20 25 30

gta gga gac aga gtc acc atc act tgc cag gca agt cag agc att agc 144  
 Val Gly Asp Arg Val Thr Ile Thr Cys Gln Ala Ser Gln Ser Ile Ser  
 35 40 45

aac tat ttg agt tgg tat cag cag aaa cca ggg aaa gcc cct aag ctc 192  
 Asn Tyr Leu Ser Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu  
 50 55 60

ctg atc tat gat gca tcc act ttg caa agt ggg gtc cca tca agg ttc 240  
 Leu Ile Tyr Asp Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe  
 65 70 75 80

agt ggc agt gga tct ggg aca gat ttc act ctc acc atc agc agt ctg 288

Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu  
85 90 95

caa cct gaa gat ttt gca aca tat tac tgt cag cgt ggt tac ggt aca 336  
Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Arg Gly Tyr Gly Thr  
100 105 110

ctc act ttc ggt gga ggg acc aag gtg gag atc aaa 372  
Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
115 120

<210> 23  
<211> 384  
<212> DNA  
<213> Pan troglodytes

<220>  
<221> CDS  
<222> (1)...(384)

<400> 23

atg gaa gcc cca gcg cag ctt ctc ttc ctc ctg cta ctc tgg ctc cca 48  
Met Glu Ala Pro Ala Gln Leu Leu Phe Leu Leu Leu Trp Leu Pro  
1 5 10 15

gat acc acc gga gaa ata gtg ttg acg cag tct cca gcc acc ctg tct 96  
Asp Thr Thr Gly Glu Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser  
20 25 30

ttg tct cca ggg gaa aga gcc acc ctc tcc tgc agg gcc agt cag agt 144  
Leu Ser Pro Gly Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser  
35 40 45

gtt agc agg tac tta gcc tgg tac cag cag aaa cct ggc cag gct ccc 192  
Val Ser Arg Tyr Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro  
50 55 60

agg ctc ctc atc tat ggt gca tcc aac agg gcc act ggc atc cca gcc 240  
 Arg Leu Leu Ile Tyr Gly Ala Ser Asn Arg Ala Thr Glu Phe Pro Ala  
 65 70 75 80

agg ttc agt ggc agt ggg tct agg aca gac ttc act ctc acc atc agc 288  
 Arg Phe Ser Gly Ser Gly Ser Arg Thr Asp Phe Thr Leu Thr Ile Ser  
 85 90 95

agc gtg gag cct gaa gat ttt gca gtt tat tac tgt cag cag tat aat 336  
 Ser Val Glu Pro Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn  
 100 105 110

aac cag cct ctg atc gcc ttc ggc caa ggg aca cga ctg gag att aaa 384  
 Asn Gln Pro Leu Ile Ala Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys  
 115 120 125

<210> 24

<211> 387

<212> DNA

<213> Pan troglodytes

<220>

<221> CDS

<222> (1)...(387)

<400> 24

atg gac atg agg gtc ccc gct cag ctc ctg ggg ctc ctg ctg ctc tgg 48  
 Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Trp  
 1 5 10 15

ttc cca ggt gcc aaa tgt gac atc cag atg acc cag tct cct tcc acc 96  
 Phe Pro Gly Ala Lys Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Thr  
 20 25 30

ctg tct gcc tcc ata gga gac aga gtc acc atc act tgt cgg gct agt 144

Leu Ser Ala Ser Ile Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser  
 35 40 45  
 cag ggc atc tat aat tat ttg aat tgg tat cag caa aaa cca ggg aga 192  
 Gln Gly Ile Tyr Asn Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Gly Arg  
 50 55 60  
 gcc cct gga ctc ctc atc ttt ggt gcc agg aat ttg gag act ggg gtc 240  
 Ala Pro Gly Leu Leu Ile Phe Gly Ala Arg Asn Leu Glu Thr Gly Val  
 65 70 75 80  
 cca tca aca ttc agc ggc agt ggt tcc ggg aca cac ttc act ctc acc 288  
 Pro Ser Thr Phe Ser Gly Ser Gly Ser Gly Thr His Phe Thr Leu Thr  
 85 90 95  
 atc agc agc ctg cag cct ggt gat ttt gcg act tat tac tgt cag caa 336  
 Ile Ser Ser Leu Gln Pro Gly Asp Phe Ala Thr Tyr Tyr Cys Gln Gln  
 100 105 110  
 tat tat act acc ccg tat act ttt ggc cag ggg acc aag ctg gag atc 384  
 Tyr Tyr Thr Thr Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile  
 115 120 125  
 aaa 387  
 <210> 25  
 <211> 387  
 <212> DNA  
 <213> Pan troglodytes  
 <220>  
 <221> CDS  
 <222> (1)... (387)  
 <400> 25  
 atg gac atg agg gtc ccc gct cag ctc ctg ggg ctc ctg ctg ctc tgt 48  
 Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Cys

1	5	10	15	
ttc cca ggt gcc aga tgt gac atc cag atg acc cag tct cca tcc tca				96
Phe Pro Gly Ala Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser				
	20	25	30	
ctg tct gct tct gta gga gac aga gtc acc atc tct tgt cgg gcg agt				144
Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Ser Cys Arg Ala Ser				
	35	40	45	
ctg gat att agc acc tgg tta gcc tgg tat cag cag aaa cca ggg aaa				192
Leu Asp Ile Ser Thr Trp Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys				
	50	55	60	
gcc cct aag ccc ctg atc tat gct gca tcc act ttg cca agt ggg gtc				240
Ala Pro Lys Pro Leu Ile Tyr Ala Ala Ser Thr Leu Pro Ser Gly Val				
	65	70	75	80
cca tcg agg ttc agc ggc agt gga tct ggg aca gat ttc act ctc acc				288
Pro Ser Arg Phe Ser Gly Ser Gly Ser Thr Asp Phe Thr Leu Thr				
	85	90	95	
atc agc agc ctg cag cct gaa gat tct gca act tat tac tgc cga caa				336
Ile Ser Ser Leu Gln Pro Glu Asp Ser Ala Thr Tyr Tyr Cys Arg Gln				
	100	105	110	
tat aat agt tat ccg ctc act ttc ggt gga ggg acc aag gtg gag atc				384
Tyr Asn Ser Tyr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile				
	115	120	125	
aag				387
<210> 26				
<211> 372				
<212> DNA				
<213> Pan troglodytes				



&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1) ... (372)

&lt;400&gt; 26

tct	act	cag	ctc	ctg	ggg	ctc	ctg	ctc	tgg	ctc	cca	ggt	gcc	aaa	48
Ser	Thr	Gln	Leu	Leu	Gly	Leu	Leu	Leu	Trp	Leu	Pro	Gly	Ala	Lys	
1				5					10					15	

tgt	gac	atc	cag	atg	acc	cag	tct	cct	tcc	acc	ctg	tct	gca	tct	gta	96
Cys	Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Thr	Leu	Ser	Ala	Ser	Val	
				20					25					30		

gga	gac	aga	gtc	acc	atc	act	tgc	cgg	gcc	agt	cag	ggt	att	agt	agc	144
Gly	Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Gly	Ile	Ser	Ser	
			35					40					45			

tgg	tta	gcc	tgg	tat	cag	cag	aaa	cca	ggg	aaa	gcc	cct	aag	ctc	ctg	192
Trp	Leu	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	
	50					55					60					

atc	tat	aag	gca	tct	agt	tta	gaa	agt	ggg	gtc	cca	tca	agg	ttc	agc	240
Ile	Tyr	Lys	Ala	Ser	Ser	Leu	Glu	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	
	65					70					75				80	

ggc	agt	gga	tct	ggg	aca	gaa	ttc	act	ctc	acc	atc	agc	agc	ctg	cag	288
Gly	Ser	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	
				85					90					95		

cct	gat	gat	ttt	gca	act	tat	tac	tgc	caa	cag	tat	agt	agt	tac	cct	336
Pro	Asp	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr	Ser	Ser	Tyr	Pro	
			100					105						110		

cga	acg	ttc	ggc	caa	ggg	acc	aag	ctg	gaa	atc	aaa					372
Arg	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Leu	Glu	Ile	Lys					
			115					120								

<210> 27  
 <211> 387  
 <212> DNA  
 <213> Pan troglodytes

<220>  
 <221> CDS  
 <222> (1)...(387)

<400> 27

atg gac atg agg gtc ccc gct cag ctc ctg ggg ctc ctg ctg ctc tgg	48
Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp	
1 5 10 15	
ctc tca ggt acc aga tgt gac atc cag atg acc cag tct cca tcc tcc	96
Leu Ser Gly Thr Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser	
20 25 30	
ctg tct gca tct gta gga gac aga gtc acc atc act tgc cgg gca agt	144
Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser	
35 40 45	
cag agc att agc aac tat ttg agt tgg tat cag cag aaa cca ggg aaa	192
Gln Ser Ile Ser Asn Tyr Leu Ser Trp Tyr Gln Gln Lys Pro Gly Lys	
50 55 60	
gcc cct aag ctc ctg atc tat tat gca tcc act ttg caa agt ggg gtc	240
Ala Pro Lys Leu Leu Ile Tyr Tyr Ala Ser Thr Leu Gln Ser Gly Val	
65 70 75 80	
cca tca agg ttc agt ggc agt gga tct ggg aca gat ttc act ctc acc	288
Pro Ser Arg Phe Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr	
85 90 95	
atc agc agt ctg caa cct gaa gat ttt gca act tat tac tgt cag cat	336
Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln His	

100 105 110

ggt tac ggt aca cat ccc act ttc ggt gga ggg acc aag gtg gag atc 384  
 Gly Tyr Gly Thr His Pro Thr Phe Gly Gly Gly Thr Lys Val Glu Ile  
 115 120 125

aaa 387

<210> 28  
 <211> 88  
 <212> PRT  
 <213> Pan troglodytes

<220>  
 <221> DOMAIN  
 <222> (24)...(34)  
 <223> CDRI

<221> DOMAIN  
 <222> (50)...(66)  
 <223> CDRII

<400> 28

Asp Ile Gln Met Thr Gln Phe Pro Ser Ser Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Gln Ser Ser Gln Ser Ile Tyr Asn Cys  
 20 25 30  
 Leu Ser Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Thr Leu Leu Ile  
 35 40 45  
 Tyr Gly Ala Phe Thr Leu Asn Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Asn Leu Gln Pro  
 65 70 75 80  
 Glu Asp Phe Ala Thr Tyr Tyr Cys  
 85

<210> 29

<211> 88  
 <212> PRT  
 <213> Pan troglodytes

<220>  
 <221> DOMAIN  
 <222> (24)...(34)  
 <223> CDRI

<221> DOMAIN  
 <222> (50)...(66)  
 <223> CDRII

<400> 29  
 Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Ser Asn Tyr  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Tyr Ala Ser Arg Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr Ile Ser Ser Leu Gln Pro  
 65 70 75 80  
 Glu Asp Phe Ala Thr Tyr Tyr Cys  
 85

<210> 30  
 <211> 88  
 <212> PRT  
 <213> Pan troglodytes

<220>  
 <221> DOMAIN  
 <222> (24)...(34)  
 <223> CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(66)

&lt;223&gt; CDRII

&lt;400&gt; 30

Glu Ile Val Leu Thr Gln Ser Pro Asp Phe Gln Ser Val Pro Pro Lys  
 1 5 10 15  
 Glu Lys Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Gly Ser Ser  
 20 25 30  
 Leu His Trp Tyr Gln Gln Lys Pro Gly Gln Ser Pro Lys Leu Leu Ile  
 35 40 45  
 Lys Tyr Ala Ser Gln Ser Ile Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Asn Ser Leu Glu Ala  
 65 70 75 80  
 Glu Asp Ala Ala Thr Tyr Tyr Cys  
 85

&lt;210&gt; 31

&lt;211&gt; 88

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (24)...(34)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(66)

&lt;223&gt; CDRII

&lt;400&gt; 31

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Gln Ala Ser Gln Ser Ile Ser Asn Tyr  
 20 25 30

32

Leu Ser Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Asp Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
 65 70 75 80  
 Glu Asp Phe Ala Thr Tyr Tyr Cys  
 85

<210> 32  
 <211> 88  
 <212> PRT  
 <213> Pan troglodytes

<220>  
 <221> DOMAIN  
 <222> (24)...(34)  
 <223> CDRI

<221> DOMAIN  
 <222> (50)...(66)  
 <223> CDRII

<400> 32  
 Glu Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Leu Ser Pro Gly  
 1 5 10 15  
 Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Arg Tyr  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile  
 35 40 45  
 Tyr Gly Ala Ser Asn Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Arg Thr Asp Phe Thr Leu Thr Ile Ser Ser Val Glu Pro  
 65 70 75 80  
 Glu Asp Phe Ala Val Tyr Tyr Cys  
 85

<210> 33  
 <211> 88  
 <212> PRT  
 <213> Pan troglodytes

<220>  
 <221> DOMAIN  
 <222> (24)...(34)  
 <223> CDRI

<221> DOMAIN  
 <222> (50)...(66)  
 <223> CDRII

<400> 33  
 Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Ile Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Tyr Asn Tyr  
 20 25 30  
 Leu Asn Trp Tyr Gln Gln Lys Pro Gly Arg Ala Pro Gly Leu Leu Ile  
 35 40 45  
 Phe Gly Ala Arg Asn Leu Glu Thr Gly Val Pro Ser Thr Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr His Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
 65 70 75 80  
 Gly Asp Phe Ala Thr Tyr Tyr Cys  
 85

<210> 34  
 <211> 88  
 <212> PRT  
 <213> Pan troglodytes

<220>  
 <221> DOMAIN  
 <222> (24)...(34)  
 <223> CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(66)

&lt;223&gt; CDRII

&lt;400&gt; 34

```

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1             5             10             15
Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Leu Asp Ile Ser Thr Trp
          20             25             30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Pro Leu Ile
          35             40             45
Tyr Ala Ala Ser Thr Leu Pro Ser Gly Val Pro Ser Arg Phe Ser Gly
 50             55             60
Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65             70             75             80
Glu Asp Ser Ala Thr Tyr Tyr Cys
          85

```

&lt;210&gt; 35

&lt;211&gt; 88

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (24)...(34)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(66)

&lt;223&gt; CDRII

&lt;400&gt; 35

```

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
 1             5             10             15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Ser Ser Trp

```



20                      25                      30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35                      40                      45  
 Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50                      55                      60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
 65                      70                      75                      80  
 Asp Asp Phe Ala Thr Tyr Tyr Cys  
 85

&lt;210&gt; 36

&lt;211&gt; 88

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (24)...(34)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(66)

&lt;223&gt; CDRII

&lt;400&gt; 36

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly  
 1                      5                      10                      15  
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Asn Tyr  
 20                      25                      30  
 Leu Ser Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35                      40                      45  
 Tyr Tyr Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50                      55                      60  
 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
 65                      70                      75                      80  
 Glu Asp Phe Ala Thr Tyr Tyr Cys  
 85

&lt;210&gt; 37

&lt;211&gt; 408

&lt;212&gt; DNA

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(408)

&lt;400&gt; 37

atg gag ttt gga ctg agc tgg gtt ttc ctt gtc gct att ttc aaa ggt	48
Met Glu Phe Gly Leu Ser Trp Val Phe Leu Val Ala Ile Phe Lys Gly	
1 5 10 15	
gtc cag tgt gaa gtg cag ttg gtg gag tct ggg gga ggc ttg gta cag	96
Val Gln Cys Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln	
20 25 30	
ccg ggg ggg tcc ctg aga ctc gcc tgt gta ggc tct gga ttc gcc ttc	144
Pro Gly Gly Ser Leu Arg Leu Ala Cys Val Gly Ser Gly Phe Ala Phe	
35 40 45	
aga aac acc agg atg cac tgg att cga cag act cca gga aag agg ctg	192
Arg Asn Thr Arg Met His Trp Ile Arg Gln Thr Pro Gly Lys Arg Leu	
50 55 60	
gag tgg gtg gcc gac ata aag ttt gat gga agt gat ttt tac tat gta	240
Glu Trp Val Ala Asp Ile Lys Phe Asp Gly Ser Asp Phe Tyr Tyr Val	
65 70 75 80	
gac tct gtg aag ggc cga ttc acc atc tcc aga gac aac gcc aag aac	288
Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn	
85 90 95	
tcc ctg tat ctg gaa atg aac agc ctg aga cct gat gac aca gcc gtc	336
Ser Leu Tyr Leu Glu Met Asn Ser Leu Arg Pro Asp Asp Thr Ala Val	

100	105	110	
tat ttc tgt gtg aga gaa tac aga gat gga ctg gat gtc tgg ggc cgg			384
Tyr Phe Cys Val Arg Glu Tyr Arg Asp Gly Leu Asp Val Trp Gly Arg			
115	120	125	
gga gtt ctg gtc acc gtc tcc tca			408
Gly Val Leu Val Thr Val Ser Ser			
130	135		
<210> 38			
<211> 381			
<212> DNA			
<213> Macaca cynomolgus			
<220>			
<221> CDS			
<222> (1)...(381)			
<400> 38			
gtg aca gct ccc aga tgg gtc ctg tcc cag gtg caa ttg cag gag tcg			48
Val Thr Ala Pro Arg Trp Val Leu Ser Gln Val Gln Leu Gln Glu Ser			
1	5	10	15
ggc cca gga ctg gtg aag cct tcg gag acc ctg tcc etc act tgt act			96
Gly Pro Gly Leu Val Lys Pro Ser Glu Thr Leu Ser Leu Thr Cys Thr			
20	25	30	
gtc tct ggt gac tcc atc acc act gtc ttc tgg agc tgg etc cgc cag			144
Val Ser Gly Asp Ser Ile Thr Thr Val Phe Trp Ser Trp Leu Arg Gln			
35	40	45	
tcg cca ggg att ggg ctg gag tgg att ggg aat ttt gct ggt agt act			192
Ser Pro Gly Ile Gly Leu Glu Trp Ile Gly Asn Phe Ala Gly Ser Thr			
50	55	60	

ccg gaa acg aac tac aat ccc tcc ctc aag aat cga gcc acc att tca 240  
 Pro Glu Thr Asn Tyr Asn Pro Ser Leu Lys Asn Arg Ala Thr Ile Ser  
 65 70 75 80

aaa gac acg ccc acg aat caa ttt ttc ctg agg ctg acg tct gtg acc 288  
 Lys Asp Thr Pro Thr Asn Gln Phe Phe Leu Arg Leu Thr Ser Val Thr  
 85 90 95

gcc gcg gac acg gcc gtc tac ttc tgt gcg aga gga ggg gga gcc ggc 336  
 Ala Ala Asp Thr Ala Val Tyr Phe Cys Ala Arg Gly Gly Gly Ala Gly  
 100 105 110

aac cca ctc act tgg ggc cag gga gtc cag gtc acc gtc tcc tca 381  
 Asn Pro Leu Thr Trp Gly Gln Gly Val Gln Val Thr Val Ser Ser  
 115 120 125

<210> 39

<211> 417

<212> DNA

<213> Macaca cynomolgus

<220>

<221> CDS

<222> (1)...(417)

<400> 39

atg ggg tca act gcc atc ctc gcc ctc ctc ctg gct gtt ctc caa gga 48  
 Met Gly Ser Thr Ala Ile Leu Ala Leu Leu Leu Ala Val Leu Gln Gly  
 1 5 10 15

gtc tgt gcc gag gtg cat ctg gtg cag tct gga gca cag gtg aaa agg 96  
 Val Cys Ala Glu Val His Leu Val Gln Ser Gly Ala Gln Val Lys Arg  
 20 25 30

ccc ggg gaa tct ctg agg atc tcc tgt aag act tct gga tac acc ttt 144  
 Pro Gly Glu Ser Leu Arg Ile Ser Cys Lys Thr Ser Gly Tyr Thr Phe

35	40	45	
acc gac agc tgg atc agc tgg gtg cgc cag atg ccc ggg aaa ggc ctg			192
Thr Asp Ser Trp Ile Ser Trp Val Arg Gln Met Pro Gly Lys Gly Leu			
50	55	60	
gag tgg atg gga aac atc tat cct ggt gat tct gat tcc aga tac aac			240
Glu Trp Met Gly Asn Ile Tyr Pro Gly Asp Ser Asp Ser Arg Tyr Asn			
65	70	75	80
ccg tcc ttc caa ggc cgc gtc act atc tca gtc gac aag tcc atc agt			288
Pro Ser Phe Gln Gly Arg Val Thr Ile Ser Val Asp Lys Ser Ile Ser			
85	90	95	
acc acc tac ctg cag tgg agc agc ctg aag gcc tcg gac act gcc aca			336
Thr Thr Tyr Leu Gln Trp Ser Ser Leu Lys Ala Ser Asp Thr Ala Thr			
100	105	110	
tat tac tgt gcg aag ata gat agc aac tac tac agc cgg ttc gaa gtc			384
Tyr Tyr Cys Ala Lys Ile Asp Ser Asn Tyr Tyr Ser Arg Phe Glu Val			
115	120	125	
tgg ggc ccc gga gtc atg gtc acc gtc tcc tca			417
Trp Gly Pro Gly Val Met Val Thr Val Ser Ser			
130	135		

&lt;210&gt; 40

&lt;211&gt; 423

&lt;212&gt; DNA

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(423)

&lt;400&gt; 40

atg aag cac ctg tgg ttc ttc ctc ctc ctg gtg gca gct cct aga tgg	48
Met Lys His Leu Trp Phe Phe Leu Leu Val Ala Ala Pro Arg Trp	
1 5 10 15	
gtc ctg tcc cag gtg cag ttg cag gag tcg ggc cca gga gtg gtg aag	96
Val Leu Ser Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Val Val Lys	
20 25 30	
cct tcg gag acc ctg tcc ctc acc tgc act gtc tct ggt ggc tcc ttc	144
Pro Ser Glu Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Gly Ser Phe	
35 40 45	
agt act tac tac tgg aat tgg atc cgc cag ccc cca ggg aag gga ctg	192
Ser Thr Tyr Tyr Trp Asn Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu	
50 55 60	
gag tgg att gga tat atc ggt ggt ggt ggt ggc ccc aac tac aat	240
Glu Trp Ile Gly Tyr Ile Gly Gly Gly Gly Gly Arg Pro Asn Tyr Asn	
65 70 75 80	
tcc tcc ctc aag agt cgc atc acc ctg tca cta gac gcg tcc aag aac	288
Ser Ser Leu Lys Ser Arg Ile Thr Leu Ser Leu Asp Ala Ser Lys Asn	
85 90 95	
cag ttc tcc ctg aac ctg agc tct gtg acc gcc gcg gac acg gcc gtg	336
Gln Phe Ser Leu Asn Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val	
100 105 110	
tac tac tgt gcc aga gat cgg ggc tac ggt gcc agc aat gat gct ttt	384
Tyr Tyr Cys Ala Arg Asp Arg Gly Tyr Gly Ala Ser Asn Asp Ala Phe	
115 120 125	
gat ttc tgg ggc caa ggg ctc agg gtc acc gtc tct tca	423
Asp Phe Trp Gly Gln Gly Leu Arg Val Thr Val Ser Ser	
130 135 140	

<210> 41  
 <211> 411  
 <212> DNA  
 <213> Macaca cynomolgus

<220>  
 <221> CDS  
 <222> (1)...(411)

<400> 41

atg aag cac ctg tgg ttc ttc ctc ctc ctg gtg gca act cct aaa tgg	48
Met Lys His Leu Trp Phe Phe Leu Leu Leu Val Ala Thr Pro Lys Trp	
1 5 10 15	

gtc ctg tcc cag gtg cag ttg cat gag tgg ggc cct gga ctg ctg aag	96
Val Leu Ser Gln Val Gln Leu His Glu Ser Gly Pro Gly Leu Leu Lys	
20 25 30	

cct tgg gag acc ctg tcc ctc acc tgc aat gtc tcc ggt gac tcc ccc	144
Pro Ser Glu Thr Leu Ser Leu Thr Cys Asn Val Ser Gly Asp Ser Pro	
35 40 45	

act aag tcc acg tgg aac tgg gtc cgc cag tcc cca ggg aag cca ctg	192
Thr Lys Ser Thr Trp Asn Trp Val Arg Gln Ser Pro Gly Lys Pro Leu	
50 55 60	

gaa tgg att ggt cat gtc ggt tct ggt gga ggt ggc ccc gtt tac aac	240
Glu Trp Ile Gly His Val Gly Ser Gly Gly Gly Pro Val Tyr Asn	
65 70 75 80	

gtc ttc ttg acg ggt cgc gtc tcc atg tct cta gac gct tca aag aag	288
Val Phe Leu Thr Gly Arg Val Ser Met Ser Leu Asp Ala Ser Lys Lys	
85 90 95	

ctt ctc tcc ctg gcc tta gca tct gtg acc gcc gcc gac tgg gcc gtc	336
Leu Leu Ser Leu Ala Leu Ala Ser Val Thr Ala Ala Asp Ser Ala Val	
100 105 110	

tat tac tgt gtc aga tcg acg gca tta ttt tcg ttg gat gtc tgg ggc 384  
 Tyr Tyr Cys Val Arg Ser Thr Ala Leu Phe Ser Leu Asp Val Trp Gly

115

120

125

cgg gga ctt ctg gtc acc gtc tcc tca 411  
 Arg Gly Leu Leu Val Thr Val Ser Ser

130

135

&lt;210&gt; 42

&lt;211&gt; 442

&lt;212&gt; DNA

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(441)

&lt;400&gt; 42

atg gag ttg gga ctg agc tgg gtt ttc ctt ctt gtt gct att tta aaa 48  
 Met Glu Leu Gly Leu Ser Trp Val Phe Leu Leu Val Ala Ile Leu Lys  
 1 5 10 15

ggt gtc cag tgt gac aag cag ctg gtg cag tcg ggg gga ggc ttg gtc 96  
 Gly Val Gln Cys Asp Lys Gln Leu Val Gln Ser Gly Gly Gly Leu Val  
 20 25 30

cag cct ggc ggg tct ctg aga ctc gcc tgt gta gcc tcc gga ttc ccc 144  
 Gln Pro Gly Gly Ser Leu Arg Leu Ala Cys Val Ala Ser Gly Phe Pro  
 35 40 45

ttc agt gac tat tac atg agt tgg gtc cgc cag gct cca ggg aag ggg 192  
 Phe Ser Asp Tyr Tyr Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly  
 50 55 60

ttg gag tgg ctt gga tta att aaa acc aat cct gat ggt gga acg aca 240



Leu Glu Trp Leu Gly Leu Ile Lys Thr Asn Pro Asp Gly Gly Thr Thr  
 65 70 75 80  
 gat tac gcc gcg tct gtg aaa ggc aga ttt atc atc tca cga gat gat 288  
 Asp Tyr Ala Ala Ser Val Lys Gly Arg Phe Ile Ile Ser Arg Asp Asp  
 85 90 95  
 tca aag aac tca ctg ttc ctt caa atg aac agc ctg aaa acc gag gac 336  
 Ser Lys Asn Ser Leu Phe Leu Gln Met Asn Ser Leu Lys Thr Glu Asp  
 100 105 110  
 acg gcc gtg tat tac tgc acc aca gaa gtg ttg gtg gtg tct gct att 384  
 Thr Ala Val Tyr Tyr Cys Thr Thr Glu Val Leu Val Val Ser Ala Ile  
 115 120 125  
 caa ctc att gga tgt ctg ggg ccc ggg gag ttg tgg tca ccc gtc tct 432  
 Gln Leu Ile Gly Cys Leu Gly Pro Gly Glu Leu Trp Ser Pro Val Ser  
 130 135 140  
 ttc cgc ttc a 442  
 Phe Arg Phe  
 145

<210> 43  
 <211> 407  
 <212> DNA  
 <213> Macaca cynomolgus

<220>  
 <221> CDS  
 <222> (1)...(405)

<400> 43  
 atg aag cac ctg tgg ttc ttc ctc ctc ctg gtg gca gct ccc aga tgg 48  
 Met Lys His Leu Trp Phe Phe Leu Leu Leu Val Ala Ala Pro Arg Trp  
 1 5 10 15

gtc ctg tcc cag gtg cag ttg gag gag tcg ggc cca gga ctg gtg aag 96  
 Val Leu Ser Gln Val Gln Leu Glu Ser Gly Pro Gly Leu Val Lys  
 20 25 30

ccc tcg gag acc ctg tcc ctc acc tgc gct gtg tct ggt ggc ctc att 144  
 Pro Ser Glu Thr Leu Ser Leu Thr Cys Ala Val Ser Gly Gly Leu Ile  
 35 40 45

act gga aac tac tgg aac tgg ctc cgg cag tca gaa ggg aag gga ctg 192  
 Thr Gly Asn Tyr Trp Asn Trp Leu Arg Gln Ser Glu Gly Lys Gly Leu  
 50 55 60

gag tgg att ggc cat att ggt ggt agt agt ggg aac acc ggc tac aac 240  
 Glu Trp Ile Gly His Ile Gly Gly Ser Ser Gly Asn Thr Gly Tyr Asn  
 65 70 75 80

tcc gct ttc gag agt cgc gtc acc ttg tca aga gac acg gcc aag aat 288  
 Ser Ala Phe Glu Ser Arg Val Thr Leu Ser Arg Asp Thr Ala Lys Asn  
 85 90 95

cgg ttc tcc ctg aaa ctg acc tct gtg acc gcc gca gat tcg gcc gtc 336  
 Arg Phe Ser Leu Lys Leu Thr Ser Val Thr Ala Ala Asp Ser Ala Val  
 100 105 110

tat tac tgt gcg aga tcg ggt ttt acc ggc acc gac ttc ttt tac tat 384  
 Tyr Tyr Cys Ala Arg Ser Gly Phe Thr Gly Thr Asp Phe Phe Tyr Tyr  
 115 120 125

tgg ggc ccg ggg aag tct tgg tc 407  
 Trp Gly Pro Gly Lys Ser Trp  
 130 135

&lt;210&gt; 44

&lt;211&gt; 420

&lt;212&gt; DNA

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(420)

&lt;400&gt; 44

atg aag cac ctg tgg ttc ttc ctc ctc ctg gtg gca gct ccc aga tgg 48  
 Met Lys His Leu Trp Phe Phe Leu Leu Leu Val Ala Ala Pro Arg Trp

1 5 10 15

gtc ctg tcc cag gtt caa cta cag gag tgg ggc cca gga ctg atg aag 96  
 Val Leu Ser Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Met Lys

20 25 30

cct tgg gag acc ctg tcc ctc acc tgc gct gtc tct ggt ggc tcc atc 144  
 Pro Ser Glu Thr Leu Ser Leu Thr Cys Ala Val Ser Gly Gly Ser Ile

35 40 45

agc ggt ggt ttt ggc tgg ggc tgg atc cgt cag tcc ccg ggg aag ggg 192  
 Ser Gly Gly Phe Gly Trp Gly Trp Ile Arg Gln Ser Pro Gly Lys Gly

50 55 60

ctg gaa tgg att gga agt ttc tat act act act gga aat acc ttc tcc 240  
 Leu Glu Trp Ile Gly Ser Phe Tyr Thr Thr Thr Gly Asn Thr Phe Ser

65 70 75 80

aac ccc tcc ctc aag agt cga gtc acc att tca gcg gac acg tcc aag 288  
 Asn Pro Ser Leu Lys Ser Arg Val Thr Ile Ser Ala Asp Thr Ser Lys

85 90 95

aac cag ttc tcc ctg aga ctg acc tct gtg acc gcc gcg gac acg gcc 336  
 Asn Gln Phe Ser Leu Arg Leu Thr Ser Val Thr Ala Ala Asp Thr Ala

100 105 110

ggt tat tac tgt gcg aga gat ctc tat agc agc ggc tat aaa ttt tac 384  
 Val Tyr Tyr Cys Ala Arg Asp Leu Tyr Ser Ser Gly Tyr Lys Phe Tyr

115 120 125 420

tac tgg ggc cag gga gtc ctg gtc acc gtc tcc tca  
 Tyr Trp Gly Gln Gly Val Leu Val Thr Val Ser Ser  
 130 135 140

<210> 45  
 <211> 98  
 <212> PRT  
 <213> Macaca cynomolgus

<220>  
 <221> DOMAIN  
 <222> (31)...(35)  
 <223> CDRI

<221> DOMAIN  
 <222> (50)...(66)  
 <223> CDRII

<400> 45

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly  
 1 5 10 15  
 Ser Leu Arg Leu Ala Cys Val Gly Ser Gly Phe Ala Phe Arg Asn Thr  
 20 25 30  
 Arg Met His Trp Ile Arg Gln Thr Pro Gly Lys Arg Leu Glu Trp Val  
 35 40 45  
 Ala Asp Ile Lys Phe Asp Gly Ser Asp Phe Tyr Tyr Val Asp Ser Val  
 50 55 60  
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr  
 65 70 75 80  
 Leu Glu Met Asn Ser Leu Arg Pro Asp Asp Thr Ala Val Tyr Phe Cys  
 85 90 95  
 Val Arg

<210> 46  
 <211> 98  
 <212> PRT  
 <213> Macaca cynomolgus

<220>  
 <221> DOMAIN  
 <222> (31)...(35)  
 <223> CDRI

<221> DOMAIN  
 <222> (50)...(66)  
 <223> CDRII

<400> 46  
 Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Glu  
 1 5 10 15  
 Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Asp Ser Ile Thr Thr Val  
 20 25 30  
 Phe Trp Ser Trp Leu Arg Gln Ser Pro Gly Ile Gly Leu Glu Trp Ile  
 35 40 45  
 Gly Asn Phe Ala Gly Ser Thr Pro Glu Thr Asn Tyr Asn Pro Ser Leu  
 50 55 60  
 Lys Asn Arg Ala Thr Ile Ser Lys Asp Thr Pro Thr Asn Gln Phe Phe  
 65 70 75 80  
 Leu Arg Leu Thr Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Phe Cys  
 85 90 95  
 Ala Arg

<210> 47  
 <211> 98  
 <212> PRT  
 <213> Macaca cynomolgus

<220>  
 <221> DOMAIN

&lt;222&gt; (31)...(35)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(66)

&lt;223&gt; CDRII

&lt;400&gt; 47

Glu	Val	His	Leu	Val	Gln	Ser	Gly	Ala	Gln	Val	Lys	Arg	Pro	Gly	Glu
1				5					10					15	
Ser	Leu	Arg	Ile	Ser	Cys	Lys	Thr	Ser	Gly	Tyr	Thr	Phe	Thr	Asp	Ser
			20					25					30		
Trp	Ile	Ser	Trp	Val	Arg	Gln	Met	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Met
	35					40					45				
Gly	Asn	Ile	Tyr	Pro	Gly	Asp	Ser	Asp	Ser	Arg	Tyr	Asn	Pro	Ser	Phe
	50					55				60					
Gln	Gly	Arg	Val	Thr	Ile	Ser	Val	Asp	Lys	Ser	Ile	Ser	Thr	Thr	Tyr
65				70						75				80	
Leu	Gln	Trp	Ser	Ser	Leu	Lys	Ala	Ser	Asp	Thr	Ala	Thr	Tyr	Tyr	Cys
				85					90				95		

Ala Lys

&lt;210&gt; 48

&lt;211&gt; 98

&lt;212&gt; PRT

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (31)...(35)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(66)

&lt;223&gt; CDRII

<400> 48

[illegible]

<210> 49

<211> 98

<212> PRT

<213> *Macaca cynomolgus*

**<220>**

&lt;221&gt; DOMAIN

<222> (31) . . . (35)

<223> CDRI

<221> DOMAIN

<222> (50) . . . (66)

<223> CDR II

<400> 49

Gln	Val	Gln	Leu	His	Glu	Ser	Gly	Pro	Gly	Leu	Leu	Lys	Pro	Ser	Glu
1				5					10					15	
Thr	Leu	Ser	Leu	Thr	Cys	Asn	Val	Ser	Gly	Asp	Ser	Pro	Thr	Lys	Ser
			20						25				30		
Thr	Trp	Asn	Trp	Val	Arg	Gln	Ser	Pro	Gly	Lys	Pro	Leu	Glu	Trp	Ile
			35						40					45	

Gly His Val Gly Ser Gly Gly Gly Gly Pro Val Tyr Asn Val Phe Leu  
 50 55 60  
 Thr Gly Arg Val Ser Met Ser Leu Asp Ala Ser Lys Lys Leu Leu Ser  
 65 70 75 80  
 Leu Ala Leu Ala Ser Val Thr Ala Ala Asp Ser Ala Val Tyr Tyr Cys  
 85 90 95  
 Val Arg

&lt;210&gt; 50

&lt;211&gt; 100

&lt;212&gt; PRT

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (31)...(35)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(68)

&lt;223&gt; CDRII

&lt;400&gt; 50

Asp Lys Gln Leu Val Gln Ser Gly Gly Gly Leu Val Gln Pro Gly Gly  
 1 5 10 15  
 Ser Leu Arg Leu Ala Cys Val Ala Ser Gly Phe Pro Phe Ser Asp Tyr  
 20 25 30  
 Tyr Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Leu  
 35 40 45  
 Gly Leu Ile Lys Thr Asn Pro Asp Gly Gly Thr Thr Asp Tyr Ala Ala  
 50 55 60  
 Ser Val Lys Gly Arg Phe Ile Ile Ser Arg Asp Asp Ser Lys Asn Ser  
 65 70 75 80  
 Leu Phe Leu Gln Met Asn Ser Leu Lys Thr Glu Asp Thr Ala Val Tyr  
 85 90 95  
 Tyr Cys Thr Thr



100

<210> 51  
 <211> 98  
 <212> PRT  
 <213> Macaca cynomolgus

<220>  
 <221> DOMAIN  
 <222> (31)...(35)  
 <223> CDRI

<221> DOMAIN  
 <222> (50)...(66)  
 <223> CDRII

&lt;400&gt; 51

Gln	Val	Gln	Leu	Glu	Glu	Ser	Gly	Pro	Gly	Leu	Val	Lys	Pro	Ser	Glu
1				5				10					15		
Thr	Leu	Ser	Leu	Thr	Cys	Ala	Val	Ser	Gly	Gly	Leu	Ile	Thr	Gly	Asn
			20					25					30		
Tyr	Trp	Asn	Trp	Leu	Arg	Gln	Ser	Glu	Gly	Lys	Gly	Leu	Glu	Trp	Ile
		35				40						45			
Gly	His	Ile	Gly	Gly	Ser	Ser	Gly	Asn	Thr	Gly	Tyr	Asn	Ser	Ala	Phe
	50					55					60				
Glu	Ser	Arg	Val	Thr	Leu	Ser	Arg	Asp	Thr	Ala	Lys	Asn	Arg	Phe	Ser
65					70					75				80	
Leu	Lys	Leu	Thr	Ser	Val	Thr	Ala	Ala	Asp	Ser	Ala	Val	Tyr	Tyr	Cys
				85					90					95	

Ala Arg

<210> 52  
 <211> 99  
 <212> PRT  
 <213> Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (31)...(36)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (51)...(67)

&lt;223&gt; CDRII

&lt;400&gt; 52

Gln	Val	Gln	Leu	Gln	Glu	Ser	Gly	Pro	Gly	Leu	Met	Lys	Pro	Ser	Glu
1				5					10					15	
Thr	Leu	Ser	Leu	Thr	Cys	Ala	Val	Ser	Gly	Gly	Ser	Ile	Ser	Gly	Gly
			20					25						30	
Phe	Gly	Trp	Gly	Trp	Ile	Arg	Gln	Ser	Pro	Gly	Lys	Gly	Leu	Glu	Trp
		35				40					45				
Ile	Gly	Ser	Phe	Tyr	Thr	Thr	Thr	Gly	Asn	Thr	Phe	Ser	Asn	Pro	Ser
	50					55				60					
Leu	Lys	Ser	Arg	Val	Thr	Ile	Ser	Ala	Asp	Thr	Ser	Lys	Asn	Gln	Phe
	65				70					75				80	
Ser	Leu	Arg	Leu	Thr	Ser	Val	Thr	Ala	Ala	Asp	Thr	Ala	Val	Tyr	Tyr
			85						90					95	
Cys	Ala	Arg													

&lt;210&gt; 53

&lt;211&gt; 390

&lt;212&gt; DNA

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(390)

&lt;400&gt; 53

atg	gac	ata	agg	gtc	ccc	gtg	cag	ctc	ctg	ggg	ctc	ctg	ttg	ctc	tgg	48
Met	Asp	Ile	Arg	Val	Pro	Val	Gln	Leu	Leu	Gly	Leu	Leu	Leu	Leu	Trp	

1	5	10	15	
ctc cga ggt gcc aga tgt gac atc cag atg acc cag tct cca tcc tcc				96
Leu Arg Gly Ala Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser				
	20	25	30	
ctg tct aca tct gta gga gac act gtc acc atc act tgc cgg gcg agt				144
Leu Ser Thr Ser Val Gly Asp Thr Val Thr Ile Thr Cys Arg Ala Ser				
	35	40	45	
caa ggc att gac acg gag tta gcc tgg tat cag cag aaa cca ggt aaa				192
Gln Gly Ile Asp Thr Glu Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys				
	50	55	60	
gcc ccc aca ctc ctg atc tct gat gcc tcc agg ttg cag acg ggg gtc				240
Ala Pro Thr Leu Leu Ile Ser Asp Ala Ser Arg Leu Gln Thr Gly Val				
	65	70	75	80
tca tct cgg ttc agc ggc agt gga tct gga aca gat ttc act ctc acc				288
Ser Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr				
	85	90	95	
atc aac agc ctg cag cct gaa gat att gcg act tat tac tgt caa cag				336
Ile Asn Ser Leu Gln Pro Glu Asp Ile Ala Thr Tyr Tyr Cys Gln Gln				
	100	105	110	
gat aat agt ttt cca ctc act ttc ggc gga ggg acc aag gtg gag atc				384
Asp Asn Ser Phe Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile				
	115	120	125	
aaa cga				390
Lys Arg				
130				

&lt;210&gt; 54

&lt;211&gt; 384

&lt;212&gt; DNA

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(384)

&lt;400&gt; 54

gtc ttc att tcc ctg ttg ctc tgg atc tct ggt gcc tgt ggg gac att	48
Val Phe Ile Ser Leu Leu Leu Trp Ile Ser Gly Ala Cys Gly Asp Ile	
1 5 10 15	
gtg atg acc cag tct cca gac tcc ctg gct gtg tct ctg gga gag agg	96
Val Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly Glu Arg	
20 25 30	
gtc acc atc aat tgt aag tcc agc cag agt ctt tta tac agc tcc aac	144
Val Thr Ile Asn Cys Lys Ser Ser Gln Ser Leu Leu Tyr Ser Ser Asn	
35 40 45	
aat aag aac tac tta gcc tgg tac cag caa aaa cca gga cag gct cct	192
Asn Lys Asn Tyr Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro	
50 55 60	
caa cta ctc att tac tgg gca tct acc cgg gaa tcc ggg gtc cct aat	240
Gln Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val Pro Asn	
65 70 75 80	
cga ttt agt ggc agc ggc tct ggg aca gat ttc act ctc acc atc agt	288
Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser	
85 90 95	
ggc ctg cag gct gaa gat gtg gca gtg tat tac tgt caa cag tat tat	336
Gly Leu Gln Ala Glu Asp Val Ala Val Tyr Tyr Cys Gln Gln Tyr Tyr	
100 105 110	
gat atg ccc gac agt ttt ggc cag ggg acc aaa gtg gac atc aaa cga	384

Asp Met Pro Asp Ser Phe Gly Gln Gly Thr Lys Val Asp Ile Lys Arg

115

120

125

&lt;210&gt; 55

&lt;211&gt; 399

&lt;212&gt; DNA

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(399)

&lt;400&gt; 55

atg agg ctc cct gct cag ctc ctg ggg ctg cta ttg ctc tgc gtc ccc 48

Met Arg Leu Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Cys Val Pro

1

5

10

15

gga tcc agt ggg gat gtt gtg atg act cag tct cca ctc tcc ctg ccc 96

Gly Ser Ser Gly Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro

20

25

30

gtc atc cct gga cag cca gcc tcc atc tcc tgc agg tct agt caa agc 144

Val Ile Pro Gly Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser

35

40

45

ctt gta cat agt gac ggg aaa acc tac ttg aat tgg tta caa cag aag 192

Leu Val His Ser Asp Gly Lys Thr Tyr Leu Asn Trp Leu Gln Gln Lys

50

55

60

cca ggc caa cct cca aga ctc ctg att tat cag gtt tct aac cgg cac 240

Pro Gly Gln Pro Pro Arg Leu Leu Ile Tyr Gln Val Ser Asn Arg His

65

70

75

80

tct ggg gtc cca gac aga ttc agc ggc agt ggg gca ggg aca gac ttc 288

Ser Gly Val Pro Asp Arg Phe Ser Gly Ser Gly Ala Gly Thr Asp Phe

85

90

95

aca ctg aaa atc agc aga gtg gag act gag gat gtt ggg gtt tat tcc 336  
 Thr Leu Lys Ile Ser Arg Val Glu Thr Glu Asp Val Gly Val Tyr Ser  
 100 105 110

tgc gtg caa ggt aca cac tgg ccg tgg acg ttc ggc caa ggg acc aag 384  
 Cys Val Gln Gly Thr His Trp Pro Trp Thr Phe Gly Gln Gly Thr Lys  
 115 120 125

gtg gac atc aaa cga 399  
 Val Asp Ile Lys Arg  
 130

<210> 56

<211> 384

<212> DNA

<213> Macaca cynomolgus

<220>

<221> CDS

<222> (1)...(384)

<400> 56

atg agg gtc ccc gct cag ctc ctg ggg ctc ctg ctg ctc tgg ctc cca 48  
 Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Trp Leu Pro  
 1 5 10 15

ggt gcc ata tgt gac att cag atg tcc cag tct cca tcc tcc ctg tct 96  
 Gly Ala Ile Cys Asp Ile Gln Met Ser Gln Ser Pro Ser Ser Leu Ser  
 20 25 30

gct tct gtg gga gac aga gtc acc atc acc tgc cgg gca agt cag ggc 144  
 Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly  
 35 40 45

ata act aat tat tta aac tgg tat cag cag aaa ccg ggg aaa gcc cct 192

```

Ile Thr Asn Tyr Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro
    50                      55                      60

aac ctc ctg atc tat tat gca act cgt ttg gcg agc ggg gtc cca tca      240
Asn Leu Leu Ile Tyr Tyr Ala Thr Arg Leu Ala Ser Gly Val Pro Ser
    65                      70                      75                      80

agg ttc agc ggc agt gga tct ggg tcg gag tac agt ctc gcc atc agc      288
Arg Phe Ser Gly Ser Gly Ser Gly Ser Glu Tyr Ser Leu Ala Ile Ser
                      85                      90                      95

agc ctg cag cct gaa gat ttt gca acc tat ttc tgt caa cag ggt tat      336
Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Phe Cys Gln Gln Gly Tyr
                      100                      105                      110

agg gcc ccc tac act ttt ggc cag ggg acc aca gtg gag atc aaa cga      384
Arg Ala Pro Tyr Thr Phe Gly Gln Gly Thr Thr Val Glu Ile Lys Arg
                      115                      120                      125

```

&lt;210&gt; 57

&lt;211&gt; 390

&lt;212&gt; DNA

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(390)

&lt;400&gt; 57

```

atg gac atg agg gtc ccc gct cag ctc ctg ggg ctc ctg ctg ctc tgg      48
Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp
    1                      5                      10                      15

ctc cta ggt gcc aga tgt gac atc cag atg acc cag tct cct tct tcc      96
Leu Leu Gly Ala Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser
                      20                      25                      30

```

58

ttg tct gca tct gta gga gac aga gtc acc atc act tgc caa gcc agt	144
Leu Ser Ala Ser Val Gly Asp Arg Val Thr Ile Thr Cys Gln Ala Ser	
35 40 45	
cag ggt att agc aac tgg tta gcc tgg tat cag cag aaa ccg ggg aaa	192
Gln Gly Ile Ser Asn Trp Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys	
50 55 60	
gcc cct aag ctc ctg atc tat gct gca tcc act ttc caa agt ggg gtc	240
Ala Pro Lys Leu Leu Ile Tyr Ala Ala Ser Thr Phe Gln Ser Gly Val	
65 70 75 80	
cca tca agg ttc agc ggc agt gga tct ggg aca gag ttc act ctc acc	288
Pro Ser Arg Phe Ser Gly Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr	
85 90 95	
atc agc agc ctg cag cct gaa gat ttt gca act tac tac tgt caa cag	336
Ile Ser Ser Leu Gln Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln	
100 105 110	
tat aat act tac cct ctc act ttc ggc gga ggg acc aag gtg gag atc	384
Tyr Asn Thr Tyr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile	
115 120 125	
aaa cga	390
Lys Arg	
130	

&lt;210&gt; 58

&lt;211&gt; 390

&lt;212&gt; DNA

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; CDS



&lt;222&gt; (1)...(390)

&lt;400&gt; 58

atg gac ttg agg gcc ccc gct cat ctc cta ggg ctc ctg ctg ctc tgg	48
Met Asp Leu Arg Ala Pro Ala His Leu Leu Gly Leu Leu Leu Leu Trp	
1 5 10 15	
ctc cca ggt gcc aga ggt gac atc cag atg acc cag tct cca ccc tcc	96
Leu Pro Gly Ala Arg Gly Asp Ile Gln Met Thr Gln Ser Pro Pro Ser	
20 25 30	
ctg tct gcg tct gtt ggg gac act gtc agt ctt act tgt cgg gca agt	144
Leu Ser Ala Ser Val Gly Asp Thr Val Ser Leu Thr Cys Arg Ala Ser	
35 40 45	
cag cct att ggc agt aat tta aat tgg ttc cag caa aaa cct ggg agc	192
Gln Pro Ile Gly Ser Asn Leu Asn Trp Phe Gln Gln Lys Pro Gly Ser	
50 55 60	
ccc ccc aga ctc ctg atc tac ctt gcg acc gcc ttg caa cgt ggg atc	240
Pro Pro Arg Leu Leu Ile Tyr Leu Ala Thr Ala Leu Gln Arg Gly Ile	
65 70 75 80	
ccg tca agg ttt agc gcc act gga tct caa acc aat ttc act ctc acg	288
Pro Ser Arg Phe Ser Ala Thr Gly Ser Gln Thr Asn Phe Thr Leu Thr	
85 90 95	
atc acc ggc ctg cag cct gag gat ttc gca act tac ctc tgt ctg caa	336
Ile Thr Gly Leu Gln Pro Glu Asp Phe Ala Thr Tyr Leu Cys Leu Gln	
100 105 110	
cat act tct tac cca ttc act ttt ggc ccc ggg aca aag gtg gat atc	384
His Thr Ser Tyr Pro Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile	
115 120 125	
aag cga	390
Lys Arg	

130

&lt;210&gt; 59

&lt;211&gt; 88

&lt;212&gt; PRT

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (24)...(34)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(56)

&lt;223&gt; CDRII

&lt;400&gt; 59

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	Leu	Ser	Thr	Ser	Val	Gly
1				5					10					15	
Asp	Thr	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Gly	Ile	Asp	Thr	Glu
		20						25						30	
Leu	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Thr	Leu	Leu	Ile
		35						40					45		
Ser	Asp	Ala	Ser	Arg	Leu	Gln	Thr	Gly	Val	Ser	Ser	Arg	Phe	Ser	Gly
	50					55					60				
Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Asn	Ser	Leu	Gln	Pro
65					70					75				80	
Glu	Asp	Ile	Ala	Thr	Tyr	Tyr	Cys								
							85								

&lt;210&gt; 60

&lt;211&gt; 94

&lt;212&gt; PRT

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

61

&lt;221&gt; DOMAIN

&lt;222&gt; (24)...(40)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (56)...(62)

&lt;223&gt; CDRII

&lt;400&gt; 60

Asp	Ile	Val	Met	Thr	Gln	Ser	Pro	Asp	Ser	Leu	Ala	Val	Ser	Leu	Gly
1					5				10					15	
Glu	Arg	Val	Thr	Ile	Asn	Cys	Lys	Ser	Ser	Gln	Ser	Leu	Leu	Tyr	Ser
			20					25					30		
Ser	Asn	Asn	Lys	Asn	Tyr	Leu	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Gln
		35					40					45			
Ala	Pro	Gln	Leu	Leu	Ile	Tyr	Trp	Ala	Ser	Thr	Arg	Glu	Ser	Gly	Val
		50				55					60				
Pro	Asn	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr
65					70					75				80	
Ile	Ser	Gly	Leu	Gln	Ala	Glu	Asp	Val	Ala	Val	Tyr	Tyr	Cys		
					85					90					

&lt;210&gt; 61

&lt;211&gt; 93

&lt;212&gt; PRT

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (24)...(39)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (54)...(61)

&lt;223&gt; CDRII

&lt;400&gt; 61

```

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Ile Pro Gly
 1           5           10           15
Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser
      20           25           30
Asp Gly Lys Thr Tyr Leu Asn Trp Leu Gln Gln Lys Pro Gly Gln Pro
      35           40           45
Pro Arg Leu Leu Ile Tyr Gln Val Ser Asn Arg His Ser Gly Val Pro
      50           55           60
Asp Arg Phe Ser Gly Ser Gly Ala Gly Thr Asp Phe Thr Leu Lys Ile
      65           70           75           80
Ser Arg Val Glu Thr Glu Asp Val Gly Val Tyr Ser Cys
      85           90

```

&lt;210&gt; 62

&lt;211&gt; 88

&lt;212&gt; PRT

&lt;213&gt; Macaca cynomolgus

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (24)...(34)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(56)

&lt;223&gt; CDRII

&lt;400&gt; 62

```

Asp Ile Gln Met Ser Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1           5           10           15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Thr Asn Tyr
      20           25           30
Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Asn Leu Leu Ile
      35           40           45
Tyr Tyr Ala Thr Arg Leu Ala Ser Gly Val Pro Ser Arg Phe Ser Gly
      50           55           60
Ser Gly Ser Gly Ser Glu Tyr Ser Leu Ala Ile Ser Ser Leu Gln Pro

```

.65                      .70  
Glu Asp Phe Ala Thr Tyr Phe Cys  
85

<210> 63

&lt;211&gt; 88

<212> PRT

<213> *Macaca cynomolgus*

 $\langle 220 \rangle$ 

<221> DOMAIN

<222> (24) . . . (34)

<223> CDRI

<221> DOMAIN

<222> (50) . . . (56)

<223> CDR II

<400> 63

[illegible]

<210> 64

<211> 88

<212> PRT

<213> *Macaca cynomolgus*

&lt;220&gt;

&lt;221&gt; DOMAIN

&lt;222&gt; (24)...(34)

&lt;223&gt; CDRI

&lt;221&gt; DOMAIN

&lt;222&gt; (50)...(56)

&lt;223&gt; CDRII

&lt;400&gt; 64

```

Asp Ile Gln Met Thr Gln Ser Pro Pro Ser Leu Ser Ala Ser Val Gly
 1             5             10             15
Asp Thr Val Ser Leu Thr Cys Arg Ala Ser Gln Pro Ile Gly Ser Asn
 20             25             30
Leu Asn Trp Phe Gln Gln Lys Pro Gly Ser Pro Pro Arg Leu Leu Ile
 35             40             45
Tyr Leu Ala Thr Ala Leu Gln Arg Gly Ile Pro Ser Arg Phe Ser Ala
 50             55             60
Thr Gly Ser Gln Thr Asn Phe Thr Leu Thr Ile Thr Gly Leu Gln Pro
 65             70             75             80
Glu Asp Phe Ala Thr Tyr Leu Cys
             85

```

&lt;210&gt; 65

&lt;211&gt; 360

&lt;212&gt; DNA

&lt;213&gt; Rat

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(360)

&lt;400&gt; 65

```

gac acg gtg ctg acc cag tct cct gct ttg gct gtg cct cca gga gag
Asp Thr Val Leu Thr Gln Ser Pro Ala Leu Ala Val Pro Pro Gly Glu
 1             5             10             15

```

48

agg gtt acc gtc tcc tgt agg gcc agt gaa agt gtc agt aca ttt ttg	96
Arg Val Thr Val Ser Cys Arg Ala Ser Glu Ser Val Ser Thr Phe Leu	
20 25 30	
cac tgg tat caa cag aaa cca gga cat caa ccc aaa ctc ctc atc tat	144
His Trp Tyr Gln Gln Lys Pro Gly His Gln Pro Lys Leu Leu Ile Tyr	
35 40 45	
cta gcc tca aaa cta gaa tct ggg gtc cct gcc agg ttc agt ggc ggt	192
Leu Ala Ser Lys Leu Glu Ser Gly Val Pro Ala Arg Phe Ser Gly Gly	
50 55 60	
ggg tct ggg aca gac ttc acc ctc acc att gat cct gtg gag gct gat	240
Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Asp Pro Val Glu Ala Asp	
65 70 75 80	
gac act gct acc tat tac tgt cag cag acc tgg aat gat cct cgg acg	288
Asp Thr Ala Thr Tyr Tyr Cys Gln Gln Thr Trp Asn Asp Pro Arg Thr	
85 90 95	
ttc ggt gga ggc acc aag ctg gaa ttg aaa cgg gct gat gct gca cca	336
Phe Gly Gly Gly Thr Lys Leu Glu Lys Arg Ala Asp Ala Ala Pro	
100 105 110	
act gta tct atc ttc cca cca tcc	360
Thr Val Ser Ile Phe Pro Pro Ser	
115 120	

&lt;210&gt; 66

&lt;211&gt; 360

&lt;212&gt; DNA

&lt;213&gt; Rat

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(360)

&lt;400&gt; 66

gag gtc cag ctg cag cag tct gga cct gag gtt ggg agg cct ggg tcc 48  
 Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Val Gly Arg Pro Gly Ser  
 1 5 10 15

tca gtc aag att tct tgc aag gct tct ggc tac acc ttt aca gat tac 96  
 Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr  
 20 25 30

gtt ttg aat tgg gtg aag cag agt cct gga cag gga ctg gaa tgg ata 144  
 Val Leu Asn Trp Val Lys Gln Ser Pro Gly Gln Gly Leu Glu Trp Ile  
 35 40 45

gga tgg att gat cct gac tat ggt act act gat tat gct gag aag ttc 192  
 Gly Trp Ile Asp Pro Asp Tyr Gly Thr Thr Asp Tyr Ala Glu Lys Phe  
 50 55 60

aaa aag aag gcc aca ctg act gca gat aca tcc tcc agc aca gcc tac 240  
 Lys Lys Lys Ala Thr Leu Thr Ala Asp Thr Ser Ser Thr Ala Tyr  
 65 70 75 80

atc cag ctt agc agc ctg aca tct gag gac aca gcc acc tat ttt tgt 288  
 Ile Gln Leu Ser Ser Leu Thr Ser Glu Asp Thr Ala Thr Tyr Phe Cys  
 85 90 95

gct aga tct agg aat tac gga gga tat att aat tac tgg ggc caa gga 336  
 Ala Arg Ser Arg Asn Tyr Gly Gly Tyr Ile Asn Tyr Trp Gly Gln Gly  
 100 105 110

gtc atg gtc aca gtc tcc tca gct 360  
 Val Met Val Thr Val Ser Ser Ala  
 115 120

&lt;210&gt; 67

&lt;211&gt; 109



&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;400&gt; 67

Ala Val His Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly  
 1                    5                    10                    15  
 Asp Ser Val Thr Ile Thr Cys Arg Ala Ser Gln Thr Ile Asn Ile Tyr  
                   20                    25                    30  
 Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
                   35                    40                    45  
 Phe Asp Ala Ser Ile Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly  
                   50                    55                    60  
 Ser Gly Ser Gly Thr Asp Phe Ser Leu Thr Ile Arg Ser Leu Gln Pro  
 65                    70                    75                    80  
 Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Cys Gly Trp Gly Thr His Pro  
                   85                    90                    95  
 Tyr Asn Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys Arg  
                   100                    105

&lt;210&gt; 68

&lt;211&gt; 108

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; rat/chimpanzee sequence

&lt;400&gt; 68

Asp Thr Val Leu Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly  
 1                    5                    10                    15  
 Asp Ser Val Thr Ile Thr Cys Arg Ala Ser Glu Ser Val Ser Thr Phe  
                   20                    25                    30  
 Leu His Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
                   35                    40                    45  
 Tyr Leu Ala Ser Lys Leu Glu Ser Gly Val Pro Ala Arg Phe Ser Gly  
                   50                    55                    60  
 Ser Gly Ser Gly Thr Asp Phe Ser Leu Thr Ile Arg Ser Leu Gln Pro

68

65		70		75		80									
Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Thr	Trp	Asn	Asp	Pro	Arg
			85					90					95		
Thr	Phe	Gly	Gln	Gly	Thr	Lys	Leu	Glu	Ile	Lys	Arg				
			100					105							

&lt;210&gt; 69

&lt;211&gt; 128

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;400&gt; 69

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Val	Val	Gln	Pro	Gly	Gly
1			5					10						15	
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Asp	Asp	Phe
			20					25					30		
Ala	Met	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Ile
		35				40					45				
Ser	Leu	Val	Ser	Trp	Asp	Ser	Tyr	Asn	Ile	Tyr	His	Ala	Asp	Ser	Val
	50			55				60							
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ser	Arg	Asn	Ser	Leu	Tyr
65				70				75					80		
Leu	Gln	Met	Asn	Asp	Leu	Arg	Pro	Glu	Asp	Thr	Ala	Ile	Tyr	Phe	Cys
			85					90					95		
Ala	Lys	Ala	Asp	Thr	Gly	Gly	Asp	Phe	Asp	Tyr	Val	Ser	Asp	Ser	Trp
			100				105					110			
Arg	Cys	Ala	Leu	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser
			115				120					125			

&lt;210&gt; 70

&lt;211&gt; 118

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; rat/chimpanzee sequence

&lt;400&gt; 70

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Gly  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Tyr Thr Phe Thr Asp Tyr  
 20 25 30  
 Val Leu Asn Trp Val Lys Gln Ala Pro Gly Lys Gly Leu Glu Trp Ile  
 35 40 45  
 Gly Trp Ile Asp Pro Asp Tyr Gly Thr Thr Asp Tyr Ala Glu Lys Phe  
 50 55 60  
 Lys Lys Lys Ala Thr Leu Ser Ala Asp Thr Ser Arg Asn Ser Ala Tyr  
 65 70 75 80  
 Leu Gln Met Asn Asp Leu Arg Pro Glu Asp Thr Ala Ile Tyr Phe Cys  
 85 90 95  
 Ala Arg Ser Arg Asn Tyr Gly Gly Tyr Ile Asn Tyr Trp Gly Gln Gly  
 100 105 110  
 Thr Leu Val Thr Val Ser  
 115

&lt;210&gt; 71

&lt;211&gt; 354

&lt;212&gt; DNA

&lt;213&gt; Murine

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(354)

&lt;400&gt; 71

caa gtt cag ctt caa cag tct gga gct gag ctg atg aag cct ggg gcc 48  
 Gln Val Gln Leu Gln Gln Ser Gly Ala Glu Leu Met Lys Pro Gly Ala  
 1 5 10 15  
 tca gtg aag ata tcc tgc aag gct act ggc tac aca ttc agt agc tac 96  
 Ser Val Lys Ile Ser Cys Lys Ala Thr Gly Tyr Thr Phe Ser Ser Tyr  
 20 25 30  
 tgg ata gag tgg gta aag cag agg cct gga cat ggc ctt gag tgg att 144

```

Trp Ile Glu Trp Val Lys Gln Arg Pro Gly His Gly Leu Glu Trp Ile
      35              40              45

gga gag att tta cct aga agt ggt aat act aac tac aat gag aag ttc      192
Gly Glu Ile Leu Pro Arg Ser Gly Asn Thr Asn Tyr Asn Glu Lys Phe
      50              55              60

aag ggc aag gcc aca ttc act gca gaa aca tcc tcc aac aca gcc tac      240
Lys Gly Lys Ala Thr Phe Thr Ala Glu Thr Ser Ser Asn Thr Ala Tyr
      65              70              75              80

atg caa ctc agc agc ctg aca cct gag gac tct gcc gtc tat tac tgt      288
Met Gln Leu Ser Ser Leu Thr Pro Glu Asp Ser Ala Val Tyr Tyr Cys
              85              90              95

tca agt cgc gcc gtc agg gcc tct atg gac tac tgg ggt caa gga acc      336
Ser Ser Arg Gly Val Arg Gly Ser Met Asp Tyr Trp Gly Gln Gly Thr
              100              105              110

tca gtc acc gtc tcc tca      354
Ser Val Thr Val Ser Ser
      115

```

&lt;210&gt; 72

&lt;211&gt; 324

&lt;212&gt; DNA

&lt;213&gt; Murine

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(324)

&lt;400&gt; 72

```

gat att cag atg acc cag act aca tcc tcc ctg tct gcc tct ctg gga      48
Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser Ala Ser Leu Gly
      1              5              10              15

```

gac aga gtc acc atc act tgc agg tca agt cag gac att agc aat ttt 96  
 Asp Arg Val Thr Ile Thr Cys Arg Ser Ser Gln Asp Ile Ser Asn Phe  
 20 25 30

tta aac tgg tat cag cag aaa cca gat gga act gtt aaa ctc ctg atc 144  
 Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Val Lys Leu Leu Ile  
 35 40 45

tac tac aca tca aca tta cac tca gga gtc cca tca agg ttc agt ggc 192  
 Tyr Tyr Thr Ser Thr Leu His Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60

agt ggg tct gga aca gat tat tct ctc acc att agc aac ctg gag caa 240  
 Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Ser Asn Leu Glu Gln  
 65 70 75 80

gaa gat att gcc act tac ttt tgc caa cag ggt aat acg ctt cct tgg 288  
 Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln Gly Asn Thr Leu Pro Trp  
 85 90 95

acg ttc ggt gga ggc acc aac ctg gaa atc aaa cgg 324  
 Thr Phe Gly Gly Gly Thr Asn Leu Glu Ile Lys Arg  
 100 105

<210> 73

<211> 108

<212> PRT

<213> Artificial Sequence

<220>

<223> murine/chimpanzee sequence

<400> 73

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly  
 1 5 10 15

```

Asp Arg Val Thr Ile Thr Cys Arg Ser Ser Gln Asp Ile Ser Asn Phe
      20              25              30
Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
      35              40              45
Tyr Tyr Thr Ser Thr Leu His Ser Gly Val Pro Ser Arg Phe Ser Gly
      50              55              60
Ser Gly Ser Gly Thr Asp Tyr Thr Leu Thr Ile Ser Ser Leu Gln Pro
      65              70              75              80
Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Gly Asn Thr Leu Pro Trp
      85              90              95
Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys Arg
      100              105

```

&lt;210&gt; 74

&lt;211&gt; 118

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; murine/chimpanzee sequence

&lt;400&gt; 74

```

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
  1              5              10              15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Ser Tyr
      20              25              30
Trp Ile Glu Trp Val Lys Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile
      35              40              45
Gly Glu Ile Leu Pro Arg Ser Gly Asn Thr Asn Tyr Asn Glu Lys Phe
      50              55              60
Lys Gly Lys Ala Ser Phe Asn Ala Asp Thr Ser Thr Asn Ile Ala Tyr
      65              70              75              80
Met Glu Leu Thr Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
      85              90              95
Ser Ser Arg Gly Val Arg Gly Ser Met Asp Tyr Trp Gly Gln Gly Thr
      100              105              110
Leu Val Thr Val Ser Ser

```

115

&lt;210&gt; 75

&lt;211&gt; 360

&lt;212&gt; DNA

&lt;213&gt; Murine

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(360)

&lt;400&gt; 75

caa gtt cag ctt caa cag cct ggg gct gag ctt gtg aag tct ggg gcc	48
---	----

Gln Val Gln Leu Gln Gln Pro Gly Ala Glu Leu Val Lys Ser Gly Ala	
---	--

1	5	10	15
---	---	----	----

tca gtg aag ctg tcc tgc aag gct tct ggc agt acc ttc acc agc tac	96
---	----

Ser Val Lys Leu Ser Cys Lys Ala Ser Gly Ser Thr Phe Thr Ser Tyr	
---	--

20	25	30
----	----	----

tgg atg cac tgg gtg aag cag agg cct gga cga ggc ctt gag tgg att	144
---	-----

Trp Met His Trp Val Lys Gln Arg Pro Gly Arg Gly Leu Glu Trp Ile	
---	--

35	40	45
----	----	----

gga agg att gat cca aat agt ggt ggt act aag gat aat gag aag ttc	192
---	-----

Gly Arg Ile Asp Pro Asn Ser Gly Gly Thr Lys Asp Asn Glu Lys Phe	
---	--

50	55	60
----	----	----

aag agc aag gcc aca ctg act gta gac aaa ccc tcc agc aca gcc tac	240
---	-----

Lys Ser Lys Ala Thr Leu Thr Val Asp Lys Pro Ser Ser Thr Ala Tyr	
---	--

65	70	75	80
----	----	----	----

atg cag ctc agc agc ctg aca tct gag gac tct gcg gtc tat tat tgt	288
---	-----

Met Gln Leu Ser Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys	
---	--

85	90	95
----	----	----

gca aga gag acc tac tat gat tcc tcg ttt gct tac tgg ggc caa ggg	336
---	-----

Ala Arg Glu Thr Tyr Tyr Asp Ser Ser Phe Ala Tyr Trp Gly Gln Gly

100

105

110

act ctg gtc act gtc tct gca gcc

360

Thr Leu Val Thr Val Ser Ala Ala

115

120

&lt;210&gt; 76

&lt;211&gt; 336

&lt;212&gt; DNA

&lt;213&gt; Murine

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)...(336)

&lt;400&gt; 76

gat att gtt atg act cag tct caa aaa ttc atg tcc aca tca gta gga

48

Asp Ile Val Met Thr Gln Ser Gln Lys Phe Met Ser Thr Ser Val Gly

1

5

10

15

gac agg gtc agc gtc acc tgc aag gcc agt cag aat gtg ggt act aat

96

Asp Arg Val Ser Val Thr Cys Lys Ala Ser Gln Asn Val Gly Thr Asn

20

25

30

gta gcc tgg tat caa cag aaa cca ggg caa tct cct aaa gca ctg att

144

Val Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ser Pro Lys Ala Leu Ile

35

40

45

tac tcg gca tcc tac cgg tac agt gga gtc cct gat cgc ttc aca ggc

192

Tyr Ser Ala Ser Tyr Arg Tyr Ser Gly Val Pro Asp Arg Phe Thr Gly

50

55

60

agt gga tct ggg aca gat ttc act ctc acc atc agc aat gtg cag tct

240

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Asn Val Gln Ser

65

70

75

80

75



gaa gac ttg gca gag tat ttc tgt cag caa tat aac agc tat cct ctc 288  
 Glu Asp Leu Ala Glu Tyr Phe Cys Gln Tyr Asn Ser Tyr Pro Leu  
                   85                  90                  95

acg ttc ggt gct ggg acc aag ctg gag ctg aaa cgg gct gat gct gca 336  
 Thr Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys Arg Ala Asp Ala Ala  
                   100                  105                  110

<210> 77

<211> 107

<212> PRT

<213> Artificial Sequence

<220>

<223> murine/chimpanzee sequence

<400> 77

Asp Ile Val Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly  
   1                  5                  10                  15  
 Asp Arg Val Thr Ile Thr Cys Lys Ala Ser Gln Asn Val Gly Thr Asn  
                   20                  25                  30  
 Val Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Ala Leu Ile  
                   35                  40                  45  
 Tyr Ser Ala Ser Tyr Arg Tyr Ser Gly Val Pro Asp Arg Phe Ser Gly  
                   50                  55                  60  
 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
   65                  70                  75                  80  
 Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Pro Leu  
                   85                  90                  95  
 Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
                   100                  105

<210> 78

<211> 118

<212> PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; murine/chimpanzee sequence

&lt;400&gt; 78

```

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ser
 1           5           10           15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Ser Thr Phe Thr Ser Tyr
      20           25           30
Trp Met His Trp Val Lys Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile
      35           40           45
Gly Arg Ile Asp Pro Asn Ser Gly Gly Thr Lys Asp Asn Glu Lys Phe
 50           55           60
Lys Ser Lys Ala Thr Leu Asn Val Asp Lys Ser Thr Asn Ile Ala Tyr
 65           70           75           80
Met Glu Leu Thr Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
      85           90           95
Ala Arg Glu Thr Tyr Tyr Asp Ser Ser Phe Ala Tyr Trp Gly Gln Gly
    100           105           110
Thr Met Val Thr Val Ser
    115

```

&lt;210&gt; 79

&lt;211&gt; 119

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; murine/human sequence

&lt;400&gt; 79

```

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1           5           10           15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Ser Thr Phe Thr Ser Tyr
      20           25           30
Trp Met His Trp Val Lys Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile

```

35					40					45					
Gly	Arg	Ile	Asp	Pro	Asn	Ser	Gly	Gly	Thr	Lys	Asp	Asn	Glu	Lys	Phe
50					55					60					
Lys	Ser	Lys	Ala	Thr	Leu	Thr	Val	Asp	Lys	Ser	Thr	Ser	Thr	Ala	Tyr
65					70					75					
Met	Glu	Leu	Ser	Ser	Leu	Arg	Ser	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
85					90					95					
Ala	Arg	Glu	Thr	Tyr	Tyr	Asp	Ser	Ser	Phe	Ala	Tyr	Trp	Gly	Gln	Gly
100					105					110					
Thr	Met	Val	Thr	Val	Ser					Ala					
115															

<210> 80

<211> 102

<212> PRT

<213> Artificial Sequence

**<220>**

<223> murine/human sequence

<400> 80

[illegible]

<210> 81

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;400&gt; 81

Trp Gly Gln Gly Thr Met Val Thr Val Ser Ser

1

5

10

&lt;210&gt; 82

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;400&gt; 82

Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser

1

5

10

&lt;210&gt; 83

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;400&gt; 83

Trp Gly Pro Gly Thr Leu Val Thr Val Ser Ser

1

5

10

&lt;210&gt; 84

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;400&gt; 84

Trp Gly Gln Gly Ile Leu Val Thr Val Ser Ser

1

5

10

&lt;210&gt; 85

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;400&gt; 85

Trp Gly Arg Gly Ile Leu Val Ile Val Ser Ser

1 5 10

&lt;210&gt; 86

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;400&gt; 86

Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys Arg

1 5 10

&lt;210&gt; 87

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;400&gt; 87

Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys Arg

1 5 10

&lt;210&gt; 88

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Macaca cynomolgus

&lt;400&gt; 88

Trp Gly Arg Gly Val Leu Val Thr Val Ser Ser

1 5 10

&lt;210&gt; 89

&lt;211&gt; 11

&lt;212&gt; PRT

<213> Macaca cynomolgus

<400> 89

Trp	Gly	Gln	Gly	Val	Gln	Val	Thr	Val	Ser	Ser
1				5					10	

<210> 90

<211> 11

<212> PRT

<213> Macaca cynomolgus

<400> 90

Trp	Gly	Pro	Gly	Val	Met	Val	Thr	Val	Ser	Ser
1				5					10	

<210> 91

<211> 11

<212> PRT

<213> Macaca cynomolgus

<400> 91

Trp	Gly	Arg	Gly	Leu	Leu	Val	Thr	Val	Ser	Ser
1				5					10	

<210> 92

<211> 11

<212> PRT

<213> Macaca cynomolgus

<400> 92

Trp	Gly	Gln	Gly	Val	Leu	Val	Thr	Val	Ser	Ser
1				5					10	

<210> 93

<211> 11

<212> PRT

<213> Macaca cynomolgus

&lt;400&gt; 93

Trp Gly Gln Gly Leu Arg Val Thr Val Ser Ser  
1 5 10

&lt;210&gt; 94

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Macaca cynomolgus

&lt;400&gt; 94

Phe Gly Gln Gly Thr Lys Val Asp Ile Lys Arg  
1 5 10

&lt;210&gt; 95

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Macaca cynomolgus

&lt;400&gt; 95

Phe Gly Gln Gly Thr Thr Val Glu Ile Lys Arg  
1 5 10

&lt;210&gt; 96

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Macaca cynomolgus

&lt;400&gt; 96

Phe Gly Pro Gly Thr Lys Val Asp Ile Lys Arg  
1 5 10

&lt;210&gt; 97

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; Pan troglodytes

&lt;400&gt; 97

Phe Gly Gly Gly Thr Lys Val Glu Ile Lys Arg

1

5

10



## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US99/09131

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : A61K 39/395  
US CL : 530/387.3; 424/133.1

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 530/387.3; 424/133.1

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched  
none

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS, Medline, Biosis

search terms: immunoglobulin, antibody, framework regions, CDR grafted, humanized, primatized

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	ANDERSON et al. A primatized MAb to Human CD4 causes receptor modulation without marked reduction in CD4+ T cells in Chimpanzees: In vitro and in vivo characterization of a MAb (IDEC-CE9.1) to human CD4. Clinical Immunology and Immunopathology. July 1997, Vol. 84, No. 1, pages 73-84, see entire document.	1-19

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*B* earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A* document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means	
*P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

26 JULY 1999

Date of mailing of the international search report

18 AUG 1999

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

JULIE BURKE

Telephone No. (703) 308-0196

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US99/09131**Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)**

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☒ Claims Nos.: 20-31  
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:  
  
the claim contain specific sequence identification numbers however the application has not complied with the sequence requirements.
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

**Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)**

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

☐

The additional search fees were accompanied by the applicant's protest.

☐

No protest accompanied the payment of additional search fees.